ILLINOIS Institute of Natural Resource Sustainability William W. Shilts, Executive Director **ILLINOIS STATE GEOLOGICAL SURVEY** E. Donald McKay III, Interim Director For more information contact:

Institute of Natural Resource Sustainablity

Illinois State Geological Survey

615 East Peabody Drive Champaign, Illinois 61820-6964

http://www.isgs.illinois.edu

(217) 333-4747

Colchester Coal Depth WILL County


County Coal Map Series Andrew Louchios, Scott Elrick, Chris Korose, David Morse


Map construction: October 26, 2009

This product is under review and may not meet the standards of the Illinois State Geological Survey.

County coal maps and select quadrangle maps available as downloadable PDF files at: http://www.isgs.illinois.edu/maps-data-pub/coal-maps/county-index.shtml


38N 9E Oak Lawn Bolingbrook 37N 8E KENDALL **C**alumet 36N 12E 36N 11E Shorewood Chicago Ford Heights Frankfort Estates Sauk Village **€**52 45 34N 14E 34N 12E 34N 11E Channahon 34N 10E 33N 13E 33N 15E 33N 11E 33N 10E Shores-Braidwood 32N 13E <u> 32N 14E</u> 32N 11E 32N 10E 32N 8E KANKAKEE 31N 14E Wilmington Brooklyn 15E 31N 14E 31N 9E and flora (including many soft bodied Fig. 4 Pennsylvanian Stratigraphic Column The Colchester Coal underlies much of Illinois as well as Coal Depth **Map Explanation** Original Mined Remaining Available portions of western Indiana and western Kentucky. The coal





North-south cross section of the Pennsylvanian System in Illinois

tures thinning to 1 to 2 feet along the



ening to as much as 3 or 4 feet in basinal Francis Creek Shale, a medium gray, silty shale that locally exceeds 80 feet thick. The Francis

in the flora of the Colchester Coal on and thins out to the west and south in the western part of Illinois State Fossil - "Tully Monster"


troughs. There is significant variation Creek forms a large clastic wedge that extends across the northern part of the coalfield

top of the anticlinal crests versus that the basin. It is best known for the famous Mazon Creek

found in the troughs. The flora varia- sideritic concretions found in the northeastern part

tion is interpreted as drier conditions of the basin and in Fulton County. These concretions


stemming from higher topographic el- have yielded a remarkably well preserved fossil fauna



- Christopher P. Korose, Scott D. Elrick, and Russell J. Jacobson, 2003, Availability of the Colchester Coal for mining in

Northern and Western Illinois: Illinois State Geological Survey Illinois Minerals 127, 21 p.

References:



1400 to 1500 ft

1500 to 1600 ft

basis of the information presented here.

© 2009 Board of Trustees of the University of Illinois. All rights reserved.