ILLINOIS AT URBANA-CHAMPAIGN Institute of Natural Resource Sustainability William W. Shilts, Executive Director ILLINOIS STATE GEOLOGICAL SURVEY E. Donald McKay III, Interim Director For more information contact: Institute of Natural Resource Sustainablity Illinois State Geological Survey 615 East Peabody Drive Champaign, Illinois 61820-6964 (217) 333-4747 http://www.isgs.illinois.edu


Danville Coal Sulfur CASS County


County Coal Map Series Andrew Louchios, Scott Elrick, Chris Korose, David Morse

Map construction: October 29, 2009

This product is under review and may not meet the standards of the Illinois State Geological Survey.

County coal maps and select quadrangle maps available as downloadable PDF files at: http://www.isgs.illinois.edu/maps-data-pub/coal-maps/county-index.shtml





in addition to Vermilion County. In most of the remainder of the state it is a thin coal, generally a few inches to less than 3 feet thick. The Danville Coal is generally overlain by the Farmington Shale Member of the Shelburn Formation, but in places the immediate roof is 1-2 feet of black fissile shale. It is underlain by a

I. and Fig 2.) The Danville Coal is in the Shelburn

formation which is part of the Desmoninesian

Series. The Danville Coal has been mined in Liv-

ingston, McLean, La Salle, and Marshall Counties

12.5 208.6 mined. Approximately 23% of the original Danville Coal resources, 4.5 billion the type locality in Vermillion tons, are considered available for mining. (See Fig 3.) Available means that to be too thin or too county, the Danville Coal is 6 the surface land-use and geologic conditions related to mining of the deposit feet thick and occurs 20 feet (e.g. thickness, depth, in-place tonnage, stability of bedrock overburden) are above the Herrin Coal. (Hop-comparable to other coals currently being mined in the state. Of these rekins, 1968 - B95). (See Fig 4.) sources, 4 billion tons occur in coal 42 to 66 inches thick and 0.4 billion tons occur in thicknesses greater than 66 inches. The original resource of Danville Coal in the State of Illi- **T**he Danville Coal has been mined in Illinois for over 100 years, but only about

mining was in east-central Illinois near the city of Danville where the coal has

■ Avail. w/ potential restr

east-central Illinois, most large surface mines recover the Danville Coal only as part of their operation to remove overburden to mine the underlying Herrin Coal. In many cases, the Danville seam poor in quality to justify recovery and was simply discarded in

nois totals 19.6 billion tons, 1% of the original resource has been depleted. The most extensive area of ity of the Danville, Jamestown, Dekoven, Davis, and Seelyville Coals for mining in Selected Areas

Lonsdale Limestone Gimlet Sandstone Rock Branch (SW)/ DeGraff (S) Coal Piasa Limestone Farmington Shale Danville Coal Allenby Coal Anvil Rock Sandstone Anvil Rock Sandstone Herrin Coal Spring Lake Coal Bed Big Creek Sandstone rmillionville Sandstone Herrin Coal

the spoil pile with other rock overburden. (Modified from ISGS Pub. IM 124, Korose, et al) - Handbook of Illinois Stratigraphy, 1975, Illinois State Geological Survey Bulletin 95, 261p.

- Christopher P. Korose, Colin G. Treworgy, Russell J. Jacobson, and Scott D. Elrick, 2002, Availabil-

of Illinois: Illinois State Geological Survey Illinois Minerals 124, 44 p.

Coal Sulfur Less than or equal to 0.40 (lb S per MM Btu) 0.41 to 0.60 (lb S per MM Btu) 0.61 to 0.83 (lb S per MM Btu) 0.84 to 1.24 (lb S per MM Btu) 1.25 to 1.67 (lb S per MM Btu) 1.68 to 2.50 (lb S per MM Btu) Greater than 2.50 (lb S per MM Btu)

and private sources and have varying degrees of completeness and accuracy. They present interpretations of the geology of the area and are based on available data. However, these interpretations are based on data that may vary with respect to accuracy of geographic location, type, quantity, and reliability, as they were supplied to the Illinois State Geological Survey. Consequently, the accuracy of the interpreted features shown in these files is subject to the limitations of the data and varies from place to place.

Contoured features less than 7 million square feet (about 1/2 mile square) in area may not be accurately portrayed or resolved. This data set provides a large-scale conceptual model of the geology of the area on which to base further work. These data are not intended for use in site-specific screening or decision-making.

Disclaimer

The Illinois State Geological Survey and the University of Illinois make no guarantee, expressed or implied, regarding the correctness of the interpretations presented in this data set and accept no liability for the consequences of decisions made by others on the

basis of the information presented here. © 2009 Board of Trustees of the University of Illinois. All rights reserved.