

Herrin Coal Elevation LIVINGSTON County

County Coal Map Series ISGS Coal Section Map construction: May, 2015

This product is under review and may not meet the standards of the Illinois State Geological Survey.

County coal maps and select quadrangle maps available as downloadable PDF files at: http://www.isgs.illinois.edu






1. and Fig 2.) The Herrin Coal is a normal brightbanded coal. Its lower portion contains a prominent claystone parting (the "blue band") that normally is 1-3 inches thick. It averages more than 6 feet thick in extensive areas and locally reaches

15 feet. It is thin in much of central Illinois but has been extensively mined in western, west-central, southern, and northern Illinois, as well as in the southern part of the Danville region of eastern Illinois. In some places the coal is cut out by channels filled with the Anvil Rock

much as a mile wide and 60-North-south cross section of the Pennsylvanian System in Illinois



Sandstone Member. In parts is overlain by relatively thick bodies of the gray shale of up to a few tens of greater than 66 in of Illinois, silty gray shale as feet it has a much lower sulfur content than elsewhere. The gray shale over- es. (Modified much as 100 feet thick over- lies the coal principally in parts of Williamson, Franklin, Jefferson, Madison, ISGS Pub. IM lies the Herrin Coal. Associ- St. Clair, eastern Macoupin, and S. Vermilion. Generally, however the Herrin Treworgy, et al) ated with this shale is a chan- Coal is overlain by either the Anna Shale Member (black fissile shale) or the nel sandstone commonly as Brereton Limestone Member. (Hopkins, 1968 - B95, See Fig 4.)

80 feet thick mapped as Anvil The original resource of Herrin Coal in the State of Illinois totals 88.5 billion References: contemporaneous with the Herrin Coal resources, 51 billion tons, are considered available for mining. (See

deposit (e.g. thick-						
ness, depth, in-place	Series	Fm.	Graphic	Central and Southern	Northern and Western	Eastern and Southern
	Ser	Ξ	Column	Members and Beds	Members and Beds	Members and Beds
<i>3</i> ,	Ser			— Danville Coal — Galum Limestone	Danville Coal	Danville Coal
of bedrock overbur-		Ţ.	×××××××××××××××××××××××××××××××××××××××	— Allenby Coal		
den) are comparable	Desmoinesian	Shelburn		ankston Fork Limestone		Bankston Fork Limestone
to other coals cur-	noi	She	XXXX A	nvil Rock Sandstone	Copperas Creek Sandstone Lawson Shale	Anvil Rock Sandstone
rently being mined	esu			Conant Limestone —— Jamestown Coal	Lawson Share	Conant Limestone Jamestown Coal
, ,	Ω			Brereton Limestone	Brereton Limestone	Brereton Limestone
in the state. Of these	il i			Anna Shale Energy Shale	Anna Shale	Anna Shale
resources, 21 billion			**************************************	Herrin Coal	Herrin Coal	Herrin Coal
tons occur in coal	Series				Spring Lake Coal Bed Big Creek Sandstone	
			В	riar Hill Coal	Vermillionville Sandstone	Briar Hill Coal
42 to 66 inches thick	an	ıle	XXXXXXX	Canton Shale	Canton Shale	Canton Shale
and 30 billion tons	es	Carbondale		St. David Limestone Turner Mine Shale	St. David Limestone Turner Mine Shale	St. David Limestone Turner Mine Shale
occur in thicknesses	ioi	rbo		Dykersburg Shale		
greater than 66 inch-	Desmoinesian	Ca	87.87.83.91	Springfield Coal	Springfield Coal Covel Conglomerate	Springfield Coal
•				Hanover Limestone	Hanover Limestone	
es. (Modified from	il i		XXXXXXXXXX	Excello Shale Houchin Creek Coal	Excello Shale Houchin Creek Coal	Excello Shale Houchin Creek Coal
ISGS Pub. IM 120,	il i			oodhouse Coal	Breezy Hill Limestone Kerton Creek Coal Pleasantview Sandstore	
Treworgy, et al)	il		Pl	easantview Sandstone	Pleasantview Sandstore	Pleasantview Sandstone

Rock Sandstone and may be tons, of which 9.4 billion have been mined. Approximately 58% of the original - Handbook of Illinois Stratigraphy, 1975, Illinois State Geological Survey Bulletin 95, 261p. - Treworgy, C.G., C.P. Korose, C.A. Chenoweth, and D.L. North, 1999a, Availability of the Herrin coal. In areas where the coal Fig 3.) Available means that the surface land-use and geologic conditions re-

600 to 700 ft 500 to 600 ft elevation 400 to 500 ft data point 300 to 400 ft 200 to 300 ft 100 to 200 ft 0 to 100 ft -100 to 0 ft -200 to -100 ft -300 to -200 ft -400 to -300 ft -500 to -400 ft -600 to -500 ft -700 to -600 ft

-800 to -700 ft

-900 to -800 ft

< -900 ft

present interpretations of the geology of the area and are based on available data. However, these interpretations are based on data that may vary with respect to accuracy of geographic location, type, quantity, and reliability, as they were supplied to the Illinois State Geological Survey. Consequently, the accuracy of the interpreted features shown in these files is subject to the limitations of the data and varies from place to place.

Contoured features less than 7 million square feet (about 1/2 mile square) in area may not be accurately portrayed or resolved. This data set provides a large-scale conceptual model of the geology of the area on which to base further work. These data are not intended for use in site-specific screening or decision-making. Data included in this map are suitable for use at a scale of 1:100,000.

Disclaimer

The Illinois State Geological Survey and the University of Illinois make no guarantee, expressed or implied, regarding the correctness of the interpretations presented in this data set and accept no liability for the consequences of decisions made by others on the basis of the information presented here.

© 2015 Board of Trustees of the University of Illinois. All rights reserved.