ILLINOIS AT URBANA-CHAMPAIGN Institute of Natural Resource Sustainability William W. Shilts, Executive Director ILLINOIS STATE GEOLOGICAL SURVEY E. Donald McKay III, Interim Director For more information contact: Institute of Natural Resource Sustainablity

Illinois State Geological Survey 615 East Peabody Drive Champaign, Illinois 61820-6964

http://www.isgs.illinois.edu

(217) 333-4747

Herrin Coal Sulfur MORGAN County


County Coal Map Series Andrew Louchios, Scott Elrick, Chris Korose, David Morse

Map construction: October 29, 2009

This product is under review and may not meet the

standards of the Illinois State Geological Survey.

County coal maps and select quadrangle maps available as downloadable PDF files at: http://www.isgs.illinois.edu/maps-data-pub/coal-maps/county-index.shtml



den) are comparable

to other coals cur-

rently being mined

in the state. Of these

resources, 21 billion

tons occur in coal

42 to 66 inches thick

and 30 billion tons

occur in thicknesses

■ Avail. w/ potential restr.

Sandstone Member. In parts is overlain by relatively thick bodies of the gray shale of up to a few tens of greater than 66 inch-

of Illinois, silty gray shale as feet it has a much lower sulfur content than elsewhere. The gray shale over- es. (Modified from

80 feet thick mapped as Anvil The original resource of Herrin Coal in the State of Illinois totals 88.5 billion References:

ated with this shale is a chan- Coal is overlain by either the Anna Shale Member (black fissile shale) or the

Rock Sandstone and may be tons, of which 9.4 billion have been mined. Approximately 58% of the original contemporaneous with the Herrin Coal resources, 51 billion tons, are considered available for mining. (See

nel sandstone commonly as Brereton Limestone Member. (Hopkins, 1968 - B95, See Fig 4.)

12.5

208.6

coal. In areas where the coal Fig 3.) Available means that the surface land-use and geologic conditions re- Coal for mining in Illinois: Illinois State Geological Survey Illinois Minerals 120, 54 p.

1. and Fig 2.) The Herrin Coal is a normal bright-

banded coal. Its lower portion contains a promi-

nent claystone parting (the "blue band") that nor-

mally is 1-3 inches thick. It averages more than 6

feet thick in extensive areas and locally reaches

15 feet. It is thin in much of central Illinois but has

been extensively mined in western, west-central,

much as a mile wide and 60-

southern, and northern Illinois, as well as in the southern part of the Danville region of

eastern Illinois. In some places the coal is cut out by channels filled with the Anvil Rock

Carthage Ls

Excello Shale Houchin Creek Coal much as 100 feet thick over- lies the coal principally in parts of Williamson, Franklin, Jefferson, Madison, ISGS Pub. IM 120, Disclaimer 1.68 to 2.50 (lb S per MM Btu) lies the Herrin Coal. Associ- St. Clair, eastern Macoupin, and S. Vermilion. Generally, however the Herrin Treworgy, et al) Greater than 2.50 (lb S per MM Btu)

Coal Sulfur

Less than or equal to 0.40 (lb S per MM Btu)

0.41 to 0.60 (lb S per MM Btu)

0.61 to 0.83 (lb S per MM Btu)

0.84 to 1.24 (lb S per MM Btu)

1.25 to 1.67 (lb S per MM Btu)

nvil Rock Sandston

Conant Limestone

Anna Shale

Anna Shale

- Handbook of Illinois Stratigraphy, 1975, Illinois State Geological Survey Bulletin 95, 261p.

- Treworgy, C.G., C.P. Korose, C.A. Chenoweth, and D.L. North, 1999a, Availability of the Herrin

The Illinois State Geological Survey and the University of Illinois make no guarantee, expressed or implied, regarding the correctness of the interpretations presented in this data set and accept no liability for the consequences of decisions made by others on the

present interpretations of the geology of the area and are based on available data.

in these files is subject to the limitations of the data and varies from place to place.

Contoured features less than 7 million square feet (about 1/2 mile square) in area

may not be accurately portrayed or resolved. This data set provides a large-scale

These data are not intended for use in site-specific screening or decision-making.

conceptual model of the geology of the area on which to base further work.

However, these interpretations are based on data that may vary with respect to accuracy

of geographic location, type, quantity, and reliability, as they were supplied to the Illinois

State Geological Survey. Consequently, the accuracy of the interpreted features shown

basis of the information presented here. © 2009 Board of Trustees of the University of Illinois. All rights reserved.