ILLINOIS AT URBANA-CHAMPAIGN Institute of Natural Resource Sustainability William W. Shilts, Executive Director ILLINOIS STATE GEOLOGICAL SURVEY E. Donald McKay III, Interim Director For more information contact:

Institute of Natural Resource Sustainablity

Illinois State Geological Survey 615 East Peabody Drive Champaign, Illinois 61820-6964

http://www.isgs.illinois.edu

(217) 333-4747


Herrin Coal Thickness SHELBY County


County Coal Map Series Andrew Louchios, Scott Elrick, Chris Korose, David Morse

Map construction: October 28, 2009

This product is under review and may not meet the standards of the Illinois State Geological Survey.

County coal maps and select quadrangle maps available as downloadable PDF files at: http://www.isgs.illinois.edu/maps-data-pub/coal-maps/county-index.shtml





margins of the Illinois Basin and reaches a maximum depth in Illinois of about 1,300 feet. (See Fig I. and Fig 2.) The Herrin Coal is a normal brightbanded coal. Its lower portion contains a prominent claystone parting (the "blue band") that normally is 1-3 inches thick. It averages more than 6 feet thick in extensive areas and locally reaches 15 feet. It is thin in much of central Illinois but has

much as a mile wide and 60-


been extensively mined in western, west-central, southern, and northern Illinois, as well as in the southern part of the Danville region of eastern Illinois. In some places the coal is cut out by channels filled with the Anvil Rock Sandstone Member. In parts is

						Original	Willea	it cilialilling	Available	
Danville						19.6	0.2	19.4	4.5	
Jamestown						3.6	0	3.6	0.9	
Herrin						88.5	9.4	79.0	51.0	
Springfield						65.1	2.2	63.0	27.0	
Colchester						19.0	0.5	18.5	1.0	
Dekoven						6.0	0.1	5.9	0.3	
Davis				Available Avail. w/ po	otential restr.	9.6	0.1	9.5	4.7	
Seelyville				Restricted	or mined	9.7	0	9.7	6.7	
	0	20	40	60	80 1	100	(All number	rs in Billions of	f Tons)	
Fig. 3		1	oillions	of tons		221.1	12.5	208.6	96.1	
s overlain by relatively thick bodies of the gray shale of up to a few tens of										


of Illinois, silty gray shale as feet it has a much lower sulfur content than elsewhere. The gray shale overmuch as 100 feet thick over- lies the coal principally in parts of Williamson, Franklin, Jefferson, Madison, lies the Herrin Coal. Associ- St. Clair, eastern Macoupin, and S. Vermilion. Generally, however the Herrin Treworgy, et al) ated with this shale is a chan- Coal is overlain by either the Anna Shale Member (black fissile shale) or the nel sandstone commonly as Brereton Limestone Member. (Hopkins, 1968 - B95, See Fig 4.)

80 feet thick mapped as Anvil The original resource of Herrin Coal in the State of Illinois totals 88.5 billion References: contemporaneous with the Herrin Coal resources, 51 billion tons, are considered available for mining. (See coal. In areas where the coal Fig 3.) Available means that the surface land-use and geologic conditions re-

den) are comparable to other coals cur- rently being mined	Desmo	Shelbur
in the state. Of these resources, 21 billion tons occur in coal 42 to 66 inches thick and 30 billion tons occur in thicknesses greater than 66 inches. (Modified from ISGS Pub. IM 120,	Desmoinesian Series	Carbondale



Rock Sandstone and may be tons, of which 9.4 billion have been mined. Approximately 58% of the original - Handbook of Illinois Stratigraphy, 1975, Illinois State Geological Survey Bulletin 95, 261p. - Treworgy, C.G., C.P. Korose, C.A. Chenoweth, and D.L. North, 1999a, Availability of the Herrin Coal for mining in Illinois: Illinois State Geological Survey Illinois Minerals 120, 54 p.



Split Coal

The maps and digital files of this study were compiled from data from a variety of public and private sources and have varying degrees of completeness and accuracy. They present interpretations of the geology of the area and are based on available data. However, these interpretations are based on data that may vary with respect to accuracy of geographic location, type, quantity, and reliability, as they were supplied to the Illinois State Geological Survey. Consequently, the accuracy of the interpreted features shown in these files is subject to the limitations of the data and varies from place to place.

Contoured features less than 7 million square feet (about 1/2 mile square) in area may not be accurately portrayed or resolved. This data set provides a large-scale conceptual model of the geology of the area on which to base further work. These data are not intended for use in site-specific screening or decision-making.

Disclaimer

The Illinois State Geological Survey and the University of Illinois make no guarantee, expressed or implied, regarding the correctness of the interpretations presented in this data set and accept no liability for the consequences of decisions made by others on the

basis of the information presented here. © 2009 Board of Trustees of the University of Illinois. All rights reserved.