


Coal Mines in Illinois Lisbon Quadrangle Grundy County, Illinois

This map accompanies the Coal Mines Directory for the Lisbon Quadrangle. Consult the directory for a complete explanation of the information shown on this map.

Mining Method



Source of Mine Outline



Tipple, Shaft, Slope, Drift Locations



Mine Annotation (space permitting)

Company
Mine Name
ISGS Index No., Years of Operation

DISCLAIMER

These data were compiled and digitized from the best source maps available. Locations of some features may be offset by 500 feet or more due to errors in the original source maps, the compilation process, digitizing or a combination of these factors. Documentation of the source materials used is contained in the directory that accompanies this map. It is the user's responsibility to read this documentation and understand the limitations of the data. Though efforts have been made to compile these data accurately, the Illinois State Geological Survey does not guarantee the validity or the accuracy of these data.

The image of the U.S.G.S. Lisbon Quadrangle used as a basemap was projected from the original UTM to Lambert Conformal Conic.

DIRECTORY OF COAL MINES IN ILLINOIS 7.5-MINUTE QUADRANGLE SERIES LISBON QUADRANGLE GRUNDY COUNTY

Jennifer M. Obrad



Department of Natural Resources
ILLINOIS STATE GEOLOGICAL SURVEY
2004
REVISED 2007

**DIRECTORY OF COAL MINES IN ILLINOIS
7.5-MINUTE QUADRANGLE SERIES
LISBON QUADRANGLE
GRUNDY COUNTY**

2004
REVISED 2007

ILLINOIS STATE GEOLOGICAL SURVEY
William Shilts, Chief

Natural Resources Building
615 East Peabody Drive
Champaign, Illinois 61820

Phone 1-217-244-4610
Fax 1-217-333-2830

Cover photo Track-mounted duckbill loading machine at a Peabody Coal Company mine, ca. 1915.

DISCLAIMER: The accuracy and completeness of mine maps and directories vary with the availability of reliable information. Maps and other information used to compile this mine map and directory were obtained from a variety of sources and the accuracy of some of the original information cannot be verified. Consequently, the Illinois State Geological Survey (ISGS) cannot guarantee the mine maps are free of errors and disclaims any responsibility for damages that may result from actions or decisions based on them.

The ISGS updates the maps and directories periodically, and welcomes any new information or corrections. Please contact the Coal Section of the ISGS at the address shown on the title page of this directory, or telephone (217) 244-4610.

Printed by authority of the State of Illinois/2007

CONTENTS

INTRODUCTION	1
MINING IN THE LISBON QUADRANGLE	1
PART I EXPLANATION OF MAP AND MINE SUMMARY SHEET	2
INTERPRETING THE MAP	2
Mine Type and Mining Method	2
SOURCE MAPS	3
POINTS AND LABELS	3
INTERPRETING A MINE SUMMARY SHEET	6
REFERENCES	8
PART II DIRECTORY OF MINES IN THE LISBON QUADRANGLE	9
MINE SUMMARY SHEETS	9
Mine Index 625	
Morris Coal & Mining Company, Morocco Mine	9
Mine Index 750	
Clayton Brothers, Clayton Mine	10
Mine Index 2046	
Max Davidson & Sons, Davidson Mine	11
Mine Index 2386	
James Bell, Bell No. 2 Mine	12
Mine Index 2387	
Heather Coal Company, Heather No. 2 Mine	13
Mine Index 2388	
John Heather, Heather Mine	14
Mine Index 2390	
Alex Bell, Bell Mine	15
Mine Index 2391	
Northwestern Coal Corporation, Morris Mine	16
Mine Index 2392	
Northeastern Illinois Coal Company, Northeastern Illinois Mine	17
Mine Index 2393	
Frank Mogita, Mogita Mine	18
Mine Index 2394	
Saratoga Mining Company, Saratoga Mine	19
Mine Index 5020	
Thomas A. Ferguson, Ferguson Mine	20
Mine Index 5060	
C. Foley, Foley Mine	21
Mine Index 5120	
William Hodson, Hodson Mine	22
Mine Index 5136	
Max Davidson & Son, Davidson Mine	23
Mine Index 5212	
William Mitchell, Mitchell Mine	24
Mine Index 5225	
John Stalker, Stalker Mine	25
Mine Index 5235	
R. Blair, Blair Mine	26
Mine Index 5416	
Corcoran Brothers, Corcoran Mine	27
Mine Index 5417	
Nelson Brothers, Nelson Mine	28
Mine Index 5418	
Henry Tasdall, Tasdall Mine	29
Mine Index 5419	
Mitchell Brothers, Mitchell Mine	30

Mine Index 5420	
Milo E. Howe, Heather No. 2 Mine	31
Mine Index 5422	
George R. Blair, Blair Mine	32
Mine Index 5423	
Howe & George, Howe & George Mine	33
Mine Index 5424	
Thomas Scott & Son, Scott Mine	34
Mine Index 5425	
Harry Kay, Kay No. 2 Mine	35
Mine Index 5427	
Max Davidson & Son, Davidson Mine	36
Mine Index 5428	
Wood Coal Company, Wood Mine	37
Mine Index 5429	
Griffith & Wren, Griffith & Wren Mine	38
Mine Index 5432	
Joseph D. Maher, Maher Mine	39
Mine Index 5436	
A. Watson, Watson Mine	40
Mine Index 5448	
William George, George Mine	41
Mine Index 5522	
Robert Condon, Condon No. 2 Mine	42
Mine Index 5526	
Mitchell Brothers, Mitchell Mine	43
Mine Index 6180	
Dixon & Morrill, Watson Mine	44
OTHER MINES SHOWN ON THE LISBON QUADRANGLE	45
Mine Index 2384	45
Mine Index 5098	45
Mine Index 5459	45
Mine Index 5460	45
Mine Index 5461	45
Mine Index 5462	45
Mine Index 5464	45
Mine Index 5466 Wilson Mine	45
Mine Index 5467	45
Mine Index 5468	45
Mine Index 5469	45
Mine Index 5470	45
Mine Index 5471	45
Mine Index 5472	45
Mine Index 5473	45
Mine Index 5474	45
Mine index 5475	45
Mine Index 5476	45
Mine Index 5477	45
Mine Index 5478	45
Mine Index 5479	45
Mine Index 5486	45
Mine Index 5487	45
Mine Index 5488	45
Mine Index 5489	45
Mine Index 5491	45
Mine Index 5494	45
Mine Index 5495	45
Mine Index 5499	45
Mine Index 5502	45
Mine Index 5503	45
Mine Index 5504	45

Mine Index 5505	45
Mine Index 5520	45
Mine Index 5521	45
Mine Index 5523	45
Mine Index 5524	46
Mine Index 5527	46
Mine Index 5529	46
Mine Index 5530	46
Mine Index 5531	46
Mine Index 5538	46
Mine Index 5539 Davidson	46
Mine Index 5540	46
Mine Index 5541	46
Mine Index 5542	46
Mine Index 6845	46
Mine Index 6859	46
Mine Index 6860	46
Mine Index 6861	46
Mine Index 6862	46
Mine Index 6863	46
Mine Index 6864	46
Mine Index 6865	46
Mine Index 6866	46
Mine Index 6867	46
Mine Index 6868	46
Mine Index 6869	46
Mine Index 6870	46
Mine Index 6871	46
Mine Index 6872	46
Mine Index 6873	46
Mine Index 6874	46
Mine Index 6875	46
Mine Index 6876	46
 MINES WHOSE LOCATIONS ARE NOT KNOWN ON THE LISBON QUADRANGLE	 47
 INDEX OF MINES IN THE LISBON QUADRANGLE	 49

INTRODUCTION

Coal has been mined in 76 counties of Illinois. More than 7,400 coal mines have operated since commercial mining began in Illinois about 1810; fewer than 30 are currently active. To detail the extent and location of coal mining in Illinois, the Illinois State Geological Survey (ISGS) has compiled maps and directories of known coal mines. The ISGS offers maps at a scale of 1:100,000 and accompanying directories for each county in which coal mining is known to have occurred. Maps at a scale of 1:24,000 and accompanying directories such as this are available for selected quadrangles. Contact the ISGS for a list of these quadrangles.

These larger scale maps show the approximate positions of mines in relation to surface features such as roads and water bodies, and indicate the mining method used and the accuracy of the mine boundaries. The maps are useful for locating mine boundaries relative to specific properties and for assessing the potential for subsidence in an area. Mine boundaries compiled from final mine surveys are generally shown within 200 feet of their true position. As a result of poor cartographic quality and inaccuracies in the original mine surveys, boundaries of some older mines may be mislocated on the map by 500 feet or more. Original mine maps should be consulted in situations that require precise delineation of mine boundaries or internal workings of mined areas.

The directory serves as a key to the accompanying mine map and provides basic information on the coal mines. The directory is composed of two parts. Part I explains the symbols and patterns used on the accompanying map and the summary data presented for each mine. Part II numerically lists the mines in the quadrangle and summarizes the geology and production history of each mine.

MINING IN THE LISBON QUADRANGLE

The earliest mining in this area was reported in the 1850s. Samuel Wood and Daniel Williams opened the first coal bank in the vicinity of Morris (Sereno) about 1854, which operated in the winters for ten years. James Telfer is attributed with the first shaft mine in Grundy County. This mine was located on the Old Peacock farm in Morris Township, and was 58 ½ feet deep. By 1857, six mines, including Telfer's, were said to have been operating in the Morris and Dresden areas. These mines were small, local mines, which often stripped 7 to 15 feet of topsoil and clay to reach the coal (Joyce, 1980).

The earliest mines were shaft mines. These often did not have extensive workings, only extending a few hundred feet due to drainage, haulage and ventilation problems. A new shaft was then sunk rather than extending the mine further. Because of the problems in the mines and the relatively thin coal found here (2.5 - 3.0 feet thick on average), there were few shipping mines in this area.

Numerous mines existed in the area around the city of Morris. As early as 1882, the *History of Grundy County* reported that more than one hundred openings had been made, with many more in the years that followed. Many of the old, small mines known to exist in the areas north and south of Morris have not been able to be definitively located. A number of the mines listed in this directory may have been in the area encompassed by the Morris Quadrangle to the south.

The Colchester Coal is the only mineable seam in this quadrangle. It crops out in the southern half of the quadrangle. This area, around the town of Morris, lies at the northeastern edge of the Eastern Interior Coal Basin. The Colchester here is quite shallow, which allowed for later surface mining of the coal as well as underground mining.

PART I EXPLANATION OF MAP AND MINE SUMMARY SHEET

INTERPRETING THE MAP

The map accompanying this directory shows the location of coal mines known to be present in the quadrangle. The map, corresponding to a U.S. Geological Survey (USGS) 7.5-minute quadrangle, covers an area bounded by lines of latitude and longitude 7.5-minutes apart. In Illinois, a quadrangle is approximately 6.5 miles east to west and 8.5 miles north to south, an area of about 56 square miles. The USGS generally offers one map of mines per quadrangle. In some areas where extensive mining occurred in two or more overlapping seams, separate maps are compiled for mines in each seam to maintain readability of the map.

Mine Type and Mining Method

The mine type is indicated on the map by pattern color: green represents surface mines; red and yellow represent underground mines. The red patterns are used for areas of underground mining that are documented by a primary or secondary source map. A yellow pattern is used for cases where no map of the mine workings is available, but a general area of mining can be inferred from property maps or production figures. The patterns indicate the main mining methods used in underground mines. The methods are (1) room and pillar and (2) high extraction. The method used gives some indication of the amount and pattern of coal extraction within each mined area, and has some influence on the timing and type of subsidence that can occur over a mine.

The following discussion and illustrations of mining methods are based on Guither et al. (1984).

In room-and-pillar mines, coal is removed from haulage-ways (entries) and selected areas called rooms. Pillars of unmined coal are left between the rooms to support the roof. Depending on the size of rooms and pillars, the amount of coal removed from the production areas will range from 40% to 70%.

Room and Pillar - mining is divided into six categories:

- room-and-pillar basic (RPB, fig. 1A), an early method that did not follow a preset mining plan and therefore resulted in very irregular designs;
- modified room and pillar (MRP, fig. 1B);
- room-and-pillar panel (RPP, fig. 1C);
- blind room and pillar (BRP, fig. 1D);
- checkerboard room and pillar (CRP, fig. 1E);
- room and pillar (RP), a classification used when the specific type of room-and-pillar mining is unknown.

Blind and checkerboard are the most common types of room-and-pillar mining used in Illinois today. The knowledge of room-and-pillar mining methods gives a trained engineer information on the nature of subsidence that may occur. A more extensive discussion of subsidence can be found in Bauer et al. (1993).

High-extraction These mining methods are subdivided into high-extraction retreat (HER, Fig 1F) and longwall (LW, Fig 1G, 1H). In these methods, much of the coal is removed within well defined areas of the mine. Subsidence of the surface above these areas occurs within weeks. Once the subsidence activity ceases, the potential for further movement over these areas is low; however, subsidence may continue for several years after mining.

High-extraction retreat mining is a form of room-and-pillar mining that extracts most of the coal. Rooms and pillars are developed in the panels, and the pillars are then systematically removed (fig. 1F).

In early (pre-1960) longwall mines, mining advanced in multiple directions from a central shaft (fig. 1G). Large pillars of coal were left around the shaft, but all coal was removed beyond these pillars. Miners placed rock and wooden props and cribs in the mined-out areas to support the mine roof. The overlying rock gradually settled onto these supports, thus producing subsidence at the surface. In post-1959 longwall mines, room-and-pillar methods have been used to develop the main entries of the mine and panel areas. Modern longwall methods extract 100 percent of the coal in the panel areas (fig. 1H).

SOURCE MAPS

Mine outlines depicted on the map are, whenever possible, based on maps made from original mine surveys. The process of compiling and digitizing the quadrangle map may produce errors of less than 200 feet in the location of mine boundaries. Larger errors of 500 feet or more are possible for mines that have incomplete or inaccurate source maps.

Because of the extreme complexity of some mine maps, detailed features of mined areas have been omitted. The digitized mine boundary includes the exterior boundary of all rooms or entries that were at least 80 feet wide or protruded 500 feet from the main mining area. Unmined areas between mines are shown if they are at least 80 feet wide; unmined blocks of coal within mines are shown if they are at least 400 feet on each side. Original source maps should be consulted when precise information on mine boundaries or interior features is needed.

The mine summary sheet lists the source maps used to determine each mine outline. The completeness of map sources is indicated on the map by a line symbol at the mine boundary. Source maps are organized in five categories.

Final mine map The mine outline was digitized from an original map made from mine surveys conducted within a few months after production ceased. The date of the map and the last reported production are listed on the summary sheet.

Not a final map The mine is currently active or the mine outline was made from a map based on mine surveys conducted more than a few months before production ceased. This implies the actual mined-out area is probably larger than the outline on the map. The mine summary sheet indicated the dates of source maps and the last reported production, as well as the approximate tonnage mined between these two dates (if the mine is abandoned). The summary sheet also lists the approximate acreage mined since the date of the map and, in some cases, indicates the area where additional mining may have taken place. This latter information is determined by locating on the map the active faces relative to probable boundaries of the mine property.

Undated map The source map was undated, so it may or may not be based on a final mine survey. When sufficient data are available, the probable acreage of the mined area is estimated from reported production, average seam thickness and a recovery rate comparable to other mines in the area. This information is listed in the summary sheet for the mine.

Incomplete map The source map did not show the entire mine. The summary sheet indicates the missing part of the mine map and the acreage of the unmapped area, which is estimated from the amount of coal known to have been produced from the mine.

Secondary source map The original mine map was not found so the outline shown was determined from secondary sources (e.g., outlines from small-scale regional maps published in other reports). The summary sheet describes the secondary sources.

POINTS AND LABELS

The locations of all known mine openings (shafts, slopes, and drifts) and surface mine tipples are plotted on the map. Tipples are areas where coal was cleaned, stockpiled, and loaded for shipping.

Only openings or tipples are plotted for mines without source maps. If the precise locations of these features are unknown, a special symbol is used to indicate the approximate location of the mine.

Each mine on the map is labeled with the names of the mine and operating company, ISGS mine index number, and years of operation (if known) if space permits. A seam designation is given on maps where more than one seam was mined. For a mine that operated under more than one name, only the most recent name is generally given. When a mine changed names or ownership shortly before closing, an earlier name is listed. All company and mine names are listed on the mine summary sheet in the directory, under the production history segment.







Figure 1 Mining methods: (A) room-and-pillar basic (RPB), (B) modified room and pillar (MRP), (C) room-and-pillar panel (RPP), (D) blind room and pillar (BRP).







Figure 1 (cont.) Mining methods: (E) checkerboard room and pillar (CRP), (F) high extraction retreat (HER), (G) early (pre-1960) longwall, (H) post-1959 longwall




Figure 2 Generalized stratigraphic section, showing approximate vertical relations of coals in Illinois.

INTERPRETING A MINE SUMMARY SHEET

The mine summary sheet is arranged numerically by mine index number. Index numbers are shown on the map and in the mine listing. The mine summary sheet provides the following information (if available).

Company and mine name The last company or owner of the mine is used, unless no production was recorded for the last owner. In that case, the penultimate owner is listed. Mines often have no specific name; in these cases, the company name is also used as the mine name.

Type *Underground* denotes a subsurface mine in which the coal was reached through a shaft, slope, or a drift entry. *Surface* denotes a surface, open pit or strip mine.

Total mined-out acreage shown The total acreage of the mined area mapped, including any acreage mined on adjacent quadrangles, is calculated from the digitized outline of the mine. The acreage of large barrier pillars depicted on the map is excluded from the mined-out acreage. Small pillars not digitized are included in the acreage calculation. If the mine outline is not based on a final mine map, the acreage is followed by an estimate of additional acres that may have been mined. The estimate is determined from reported mine production, approximate thickness of the coal, and recovery rates calculated from nearby mines that used similar mining methods.

SHAFT, SLOPE, DRIFT OR TIPPLE LOCATIONS

Shaft, slope, drift, or tippie locations Locations of all known former entry points to underground mines or the location of coal cleaning, tippie, and shipping equipment used by the mine's facility are listed. The location is described in terms of county, township and range (Twp-Rge), section, and location within the section by quarters. NE SW NW, for instance, would describe the location in the northeast quarter of the southwest quarter of the northwest quarter. When sections are irregular in size, the quarters remain the same size and are oriented (or "registered") from the southeast corner of the section. Approximate footage from the section lines (FEL = from east line, FNL = from north line, for example) is given when that information is known; this indicates a surveyed location and is not derived from maps. Entry points are also plotted on the map and coded for the type of entry or tippie. A mine opening may have had many purposes during the life of the mine. Old hoist shafts are often later used for air and escape shafts; this information is included in the directory when known. The tippie for underground mines was generally located near the main shaft or slope. At surface mines, coal was sometimes hauled to a central tippie several miles from the mine pit.

GEOLOGY

Seam(s) mined The name of the coal seam(s) mined is listed, if known. If multiple seams were mined, they are all listed, although the mined-out area for each seam may be shown on separate maps. Figure 2 shows the stratigraphic section of the coal-bearing interval in Illinois, and the vertical relations among the coals.

Depth The depth to the top of the seam in the vicinity of the shaft is listed, if known. The depth is determined from notes made by geologists who visited the mine during its operation or from drill hole data in ISGS files. Depth generally varies little over the extent of a mine; however, reported depths for an individual mine may vary. Depth for surface-mined coals varies, and is usually represented as a range.

Thickness The approximate thickness of the mined seam is shown, if known. Thickness also comes from notes of geologists who visited the mine during its operation or from borehole data in ISGS files. Minimum, maximum, and average thicknesses are given when this information is available.

Mining method The principal mining method used at the mine (figs. 1A-H) is listed. See the mining methods section at the beginning of this directory for a discussion of this parameter.

Geologic problems reported Any known geologic problems, such as faults, water seepage, floor heaving, and unstable roof, encountered in the mine are reported. This information is from notes made by ISGS geologists who visited the mine, or from reports by mine inspectors published by the Illinois Department of Mines and Minerals, or from the source map(s). Geologic problems are not reported for active mines.

PRODUCTION HISTORY

Production history Tons of coal produced from the mine by each mine owner are totaled. When the source map used for the mine outline is not a final mine map, the tonnage produced since the date of the map is identified. For mines that extend into adjacent quadrangles, the tonnage reported includes areas mined in adjacent quadrangles.

SOURCE OF DATA

Source map This section lists information about the map(s) used to compile the mine outline and the locations of tipples and mine openings. In some cases more than one source map was used. For example, a map drawn before the mine closed may provide better information on original areas of the mine than a later map. When more than one map was used, the bibliography section explains what information was taken from each source.

Date The date of the most recent mine survey listed on the source map is reported.

Original scale The original scale of the source map is listed. Many maps are photo-reductions and are no longer at their original scale. The original scale gives some indication of the level of detail of the mine outline and the accuracy of the mine boundary relative to surface features. Generally, the larger the scale, the greater the accuracy and detail of the mine map. Mine outlines taken from source maps at scales smaller than 1:24,000 may be highly generalized and may well be inaccurately located with respect to surface features.

Digitized scale The scale of the digitized map is reported. The scale may be different from that of the original source map. In many cases the digitized map was made from a photo-reduction of the original source map, or the source map was not in a condition suitable for digitizing and the mine boundaries were transferred to another base map.

Map type Source maps are classified into five categories to indicate the probable completeness of the map. See discussion of source maps in the previous section.

Annotated bibliography Sources that provide information about the mine are listed, with the data taken from each source. Some commonly used sources are described below. Full bibliographic references are given for all other sources. Unless otherwise noted, all sources are available for public inspection at the ISGS.

Coal Reports Published since 1881, these reports contain tabular data on mine ownership, production, employment, and accidents. Some volumes include short descriptions made by mine inspectors of physical features and conditions in selected mines.

Directory of Illinois Coal Mines This source is a compilation of basic data about Illinois coal mines, originally gathered by ISGS staff in the early 1950s. Sources used for this directory are undocumented, but they are primarily Illinois Department of Mines and Minerals annual reports, ISGS mine notes, and coal company officials.

ENR Document 85/01, Guither, H. D., J. K. Hines, and R. A. Bauer, 1985 The Economic Effect of Underground Mining Upon Land Used for Illinois Agriculture: Illinois Department of Energy and Natural Resources Document 85/01, 185 p.

Microfilm map The U.S. Bureau of Mines maintains a microfilm archive of mine maps. A microfilm file for Illinois is available for public viewing at the ISGS.

Mine notes ISGS geologists have visited mines or contacted mine officials throughout the state since the early 1900s. Notes made during these visits range from brief descriptions of the mine location to long narratives (including sketches) of mining conditions and geology.

Federal Land Bank of St. Louis, Preliminary Reports on Subsidence Investigations Mining engineers working for the Federal Land Bank of St. Louis mapped areas of subsidence due to coal mining in the early 1930s. These reports often include county maps of mine properties with mined-out areas including shaft locations, as well as subsidence areas.

REFERENCES

Bauer, R. A., B. A. Trent, and P. B. Dumontelle, 1993, *Mine Subsidence in Illinois: Facts for the Homeowner Considering Insurance*, Illinois State Geological Survey, Environmental Geology Note 144, 16p.

Biographical and Genealogical Record of LaSalle & Grundy Counties, Volume 2 (of 2), 1900, Chicago: The Lewis Publishing Company, 785p.

Culver, H. E., 1921, *Geology and Mineral Resources of the Morris Quadrangle*, Illinois State Geological Survey, Bulletin 43, Extract B, 114p.

Grundy County Historical Society, 1981, Grundy County, Illinois, Landmarks, 93p.

Guither, H. D., J. K. Hines, and R. A. Bauer, 1985, *The Economic Effects of Underground Mining Upon Land Used for Illinois Agriculture*, Illinois Department of Energy and Natural Resources Document 85/01, 185p.

Historical Encyclopedia of Illinois and History of Grundy County, 1914, Chicago: Munsell Publishing Company, p.690-692.

History of Grundy County, Illinois, 1882, Chicago: O. L. Baskin & Co. Historical Publishers, 395p.

Joyce, Richard Patrick, 1980, Miners of the Prairie: Life & Labor in the Wilmington, Illinois Coal Field 1866-1897, Thesis for MA, Illinois State University.

Sereno, Ken, Grundy Pioneers.

PART II DIRECTORY OF MINES IN THE LISBON QUADRANGLE

MINE SUMMARY SHEETS

A summary sheet on the geology and production history of each mine in the Lisbon Quadrangle is provided. These summary sheets are arranged numerically by mine index number. Consult Part I for a complete explanation of the data listed in the summary sheet.

Mine Index 625

Morris Coal & Mining Company, Morocco Mine

Type: Surface Total mined-out acreage shown: 422 Production indicates approximately 260 acres were mined. Part of the discrepancy is accounted for by numerous other mines (both surface and underground) that also took coal from the area encompassed by the outline of this mine.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Tipple / pit	Grundy	34N 7E	34	NW NW SW
Pits	Grundy	34N 7E	25, 26, 33, 34, 35	

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	15-22			2.33-2.67	Surface

Geologic Problems Reported: The coal contained fusain partings and pyrite lenses.

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
Morris Coal & Mining Company	Morocco; Morris No. 2	1932-1954	<u>1,034,802</u> 1,034,802

Last reported production: June 1954

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
Company, 4103.G72 i5.1-6	12-31-1942	1:31680	1:31680	Not final
USGS topographic map	1953	1:24000	1:24000	Secondary source

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, mining method.

Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.

Mine notes (Grundy County) - Mine type, mine location, seam, depth, thickness, geologic problems.

Company map, ISGS map library, 4103.G72 i5.1-6 - Mine outline, mining method.

USGS 7.5-minute topographic map, Lisbon Quadrangle, 1953 - Mine outline.

Mine Index 750
Clayton Brothers, Clayton Mine

Type: Underground Total mined-out acreage shown: None Production indicates approximately 8 acres were mined.

SHAFT, SLOPE, DRIFT or TIPPLe LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Main shaft	Grundy	34N 7E	28	NW NW SW

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	50-55	0	3.75	2.04-3.0	RP

Geologic Problems Reported: The roof was "soapstone", a gray shale. There was a ½-inch band of pyrite 5 inches below the top of the coal bed.

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
Heather & Clayton	Heather & Clayton	1907-1908	2,418
Clayton Brothers	Clayton	1908-1913	16,130
			18,548

Last reported production: 1913

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
ISGS map library, 4107 d5-25 sheet 3	1919	1:62500	1:62500	Secondary source

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, seam, depth, mining method.
 Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.
 Mine notes (Grundy County) - Mine type, shaft location, depth, thickness, geologic problems.
 ISGS Bulletin 43, Plate 3, ISGS map library, 4107 d5-25, sheet 3 - Mine location.
 ISGS Bulletin 43 (Extract B), Culver, Harold E., 1921 - Geologic problems.

Mine Index 2046**Max Davidson & Sons, Davidson Mine**

Type: Surface Total mined-out acreage shown: None Production indicates less than 1 acre was mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Pit	Grundy	34N 7E	35	NE NE SW *

* No evidence for a surface mine at this location is shown on the topographic maps. The location was described in field notes as "halfway between the road and the railroad tracks". The mine may be east or west of the location shown on the accompanying map.

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)		Mining Method
		Min	Max	
Colchester			3.0	Surface

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
Max Davidson & Sons	Davidson	1918-1921	<u>3,311</u> 3,311

Last reported production: 1921

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
ISGS field notes (Leighton & Culver)	6-2-1920	1:62500	1:62500	Secondary source

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation.

Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.

Mine notes (Grundy County) - Thickness.

ISGS field notes (Grundy County) - Mine location, mining method.

Mine Index 2386
James Bell, Bell No. 2 Mine

Type: Underground Total mined-out acreage shown: None Production indicates approximately 15 acres were mined.

SHAFT, SLOPE, DRIFT or TIPPLe LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Main shaft	Grundy	34N 7E	28	SW SW SE
Air shaft	Grundy	34N 7E	28	SW SW SE *

* The mine notes indicate the air shaft was 189 feet west and 18 feet north of the haulage shaft. It is not shown on the accompanying map.

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	33-90	3.5	4.0	3.67	RP

Geologic Problems Reported: Some erosion channels were noted. Rolls were present in the mine. Over the rolls, coal stringers and soapstone (a gray clay shale) made a false roof. Some pyrite lenses and concretions were noted in the seam, as well as calcite fillings in joints and some shale bands. These shale bands were up to 2 inches thick and 6 feet long. The floor was generally 4 inches of underclay, with 2 inches of soft clay below. Both layers heaved "some but not much". In some areas, the underclay was absent and the floor was a dark gray shale. The coal was thinner in those areas.

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
Alexander Bell	Bell No. 2	1893-1896	1,700
James Bell	Bell No. 2	1896-1918 **	36,659
Bell Brothers	Bell No. 2	1918-1919	75
James Bell	Bell No. 2	1919-1926	8,854 ***
			47,288

** Idle 1917-1918

*** Idle 1921; production not reported in 1922 for mines producing less than 10,000 tons

Last reported production: 1926

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
ISGS map library, 4107 d5-25, sheet 3	1919	1:62500	1:62500	Secondary source

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, seam, depth, mining method.
 Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.
 Mine notes (Grundy County) - Mine type, shaft locations, depth, thickness, geologic problems.
 ISGS Bulletin 43, Plate 3, ISGS map library, 4107 d5-25, sheet3 - Mine location.

Mine Index 2387**Heather Coal Company, Heather No. 2 Mine**

Type: Underground Total mined-out acreage shown: Less than 1 acre

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Main shaft (5' x 8')	Grundy	34N 7E	28	NE SE SW

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	52			2.75	RPB

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
Heather Coal Company	Heather No. 2	1937-1938	<u>246</u> 246

Last reported production: 1938

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
Microfilm, document 351696	Undated	1:144	1:179	Undated

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation.

Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.

Mine notes (Grundy County) - Mine type, shaft location, seam, depth, thickness.

Microfilm map, document 351696, reel 03137, frame 65 - Shaft location, shaft size, mine outline, mining method.

Mine Index 2388
John Heather, Heather Mine

Type: Underground Total mined-out acreage shown: None Production indicates approximately 26 acres were mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Shaft (new)	Grundy	34N 7E	29	NW SE SE
Shaft (old)	Grundy	34N 7E	29	SE SW SE

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	29-35; 65-90	2.5	3.0	2.75	RP

Geologic Problems Reported: Some slight rolls cut out part of the coal seam. The roof was 37 feet of shale, and some roof falls were noted. The coal contained pyritic lenses about 6 inches from the top of the seam. Calcite linings and pyrite nodules were present along the joints and irregularly throughout the coal.

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
Frank Gilbride	Gilbride [No. 1] *	1884-1893	9,877
Frank Gilbride	Gilbride [No. 2] *	1894-1909	35,794
John Heather	Heather	1909-1924	<u>19,385</u> **
			65,056

* The first shaft was 29 to 35 feet deep, and the second was 65 to 90 feet deep.

** Idle 1915 & 1916; production not reported in 1922 for mines producing less than 10,000 tons.

Last reported production: 1924

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
ISGS composite	8-1950	1:62500	1:62500	Secondary source
ISGS map library, 4107 d5-25, sheet 3	1919	1:62500	1:62500	Secondary source

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, seam, mining method.

Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.

Mine notes (Grundy County) - Mine type, shaft location, depth, thickness, geologic problems.

ISGS composite map, 1950 mined-out area map, Area 1 - Ownership, shaft location (new shaft).

ISGS Bulletin 43, Plate 3, ISGS map library, 4107 d5-25, sheet 3 - Shaft location (old shaft).

Mine Index 2390
Alex Bell, Bell Mine

Type: Surface Total mined-out acreage shown: 3 Production indicates approximately 5 acres were mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Pit	Grundy	34N 7E	34	SE NW SE

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester		2.0	2.5	2.25	Surface

Geologic Problems Reported: The area was flooded annually by backwater from the Illinois River. The upper surface of the coal was irregular due to erosion, and most of the overburden was glacial till. The coal contained shale partings up to 1 inch, but most of these were separated during mining. The claystone floor was thin, but a firm base for the surface mining.

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
Alex Bell	Bell	1919-1923	<u>10,019</u> *
			10,019

* Production not reported in 1922 for mines producing less than 10,000 tons

Last reported production: 1923

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
Mine notes	8-11-1924	1:15840	1:15840	Secondary source

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation.
 Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation, seam.
 Mine notes (Grundy County) - Mine type, mine outline, thickness, geologic problems, mining method.

Mine Index 2391
Northwestern Coal Corporation, Morris Mine

Type: Surface Total mined-out acreage shown: 331 The reported production indicates approximately 140 acres were mined. Part of the discrepancy is accounted for by numerous other mines (both surface and underground) that also took coal from the areas encompassed within the outline of this mine.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Tipple / pit	Grundy	34N 7E	35	NE NW SW
Pit	Grundy	34N 7E	25, 27, 34, 35 *	

* The NE quarter of section 35 was said to have been previously surface-mined in the 1920's by "Bugs" Moran, a Chicago racketeer, as mentioned in *Grundy County, Illinois, Landmarks*. No other source exists for the Moran mine, and it may lie within the outline shown for index 2391.

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)		Mining Method
		Min	Max	
Colchester	16-26		2.17-2.5	Surface

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
Northwestern Coal Corporation	Morris	1945-1949	576,236
			576,236

Last reported production: May 1949

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
Microfilm, document 351476	7-1-1949	1:4800	1:9269	Final
USGS topographic map	1953	1:24000	1:24000	Secondary source

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, depth, thickness, mining method.
 Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.
 Mine notes (Grundy County) - Mine type, mine location, seam.
 Microfilm map, document 351476, reel 03136, frame 222 - Mine outline, mining method.
 USGS 7.5-minute topographic map, Morris Quadrangle, 1953 - Mine outline.

Mine Index 2392**Northeastern Illinois Coal Company, Northeastern Illinois Mine**

Type: Surface Total mined-out acreage shown: None This mine is within an area later surface mined by Northwestern Coal Company's Morris Mine (mine index 2391). Production indicates approximately 3 acres were mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Tipple / pit	Grundy	34N 7E	35	NW NW SW

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester				2.0-2.5	Surface

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
Northeastern Illinois Coal Company	Northeastern Illinois	1936-1937	<u>10,421</u> 10,421

Last reported production: February 1937

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
Mine notes	Undated	(text only)	1:24000 *	Secondary source

* The mine location was plotted on a 1:24000 USGS topographic map from the mine location description and digitized.

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, thickness, mining method.

Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.

Mine notes (Grundy County) - Mine type, mine location, seam.

Mine Index 2393
Frank Mogita, Mogita Mine

Type: Surface Total mined-out acreage shown: Less than 1 acre Not shown on accompanying map because of later surface mining by Northwestern Coal Company's Morris Mine (mine index 2391).

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Pit	Grundy	34N 7E	35	NW SW NW

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester				2.0-3.0	Surface

Geologic Problems Reported: The strata immediately above the coal was sandstone.

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
Frank Mogita	Mogita	1922-1924	unknown *

* The information for this mine is solely from the ISGS mine notes. The 1923 production was reputedly approximately 100 tons; the lowest reported production in Grundy County for 1923 was the Mitchell Brothers Mine with 586 tons.

Last reported production: 1924

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
Mine notes	8-11-1924	1:15840	1:15840	Secondary source

Annotated Bibliography (data source, brief description of information)

Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.
 Mine notes (Grundy County) - Mine outline, seam, thickness, mining method, geologic problems.

Mine Index 2394**Saratoga Mining Company, Saratoga Mine**

Type: Surface Total mined-out acreage shown: None Not shown on accompanying map because the pit was later enlarged by Northwestern Coal Company's Morris Mine (mine index 2391). Production indicates approximately 6 acres were mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Pit	Grundy	34N 7E	35	SW NE NW

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester					Surface

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
Saratoga Mining Company	Saratoga	1936-1937	<u>24,445</u> 24,445

Last reported production: 1937

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
Mine notes	Undated	(text only)	1:24000 *	Secondary source

* The mine location was plotted on a 1:24000 USGS topographic map from the mine location description and digitized.

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation.

Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation, seam.

Mine notes (Grundy County) - Mine location.

Mine Index 5020**Thomas A. Ferguson, Ferguson Mine**

Type: Underground Total mined-out acreage shown: Not shown on the accompanying map because the location is not known. Production indicates approximately 5 acres were mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Main shaft	Grundy	unknown *		

* The location of this mine is not known. The mine's address was Morris, but mining occurred north and south of the town. This mine may be in the Morris Quadrangle.

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester					Underground

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
Clayton, Ferguson & Gainty	Clayton, Ferguson & Gainty	1923-1925	2,879
Thomas A. Ferguson	Ferguson	1926-1930	9,236
			12,115

Last reported production: 1930

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
------------	------	----------------	-----------------	----------

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, mining method.

Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.

Mine Index 5060
C. Foley, Foley Mine

Type: Unknown Total mined-out acreage shown: Not shown on the accompanying map because the location is not known. Production indicates less than 1 acre was mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Mine	Grundy	unknown *		

* The location of this mine is not known. The mine's address was Morris, but mining occurred north and south of the town. This mine may be in the Morris Quadrangle.

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
C. Foley	Foley	1925-1925	<u>1,083</u> 1,083

Last reported production: 1925

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
------------	------	----------------	-----------------	----------

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation.

Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.

Mine Index 5120
William Hodson, Hodson Mine

Type: Underground Total mined-out acreage shown: Not shown on the accompanying map because the location is not known. Production indicates approximately 5 acres were mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Main shaft	Grundy	34N 7E *		

* A more precise location of this mine is not known.

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	50-53			2.67-2.83	RP

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
Hudson & Ledwards	Hudson & Ledwards	1909-1910	2,800
William Hodson **	Hodson	1910-1916	<u>9,110</u>
			11,910

** Bought by Ralph Lee in 1912, but operated under the same name

Last reported production: 1916

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
------------	------	----------------	-----------------	----------

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, seam, depth, thickness, mining method.
 Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.

Mine Index 5136**Max Davidson & Son, Davidson Mine**

Type: Underground Total mined-out acreage shown: Not shown on the accompanying map because the location is not known. Production indicates less than 1 acre was mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Main shaft	Grundy	34N 7E	35	SW

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	30			2.33-2.83	RP

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
Max Davidson & Son	Davidson	1904-1906	<u>1,564</u> 1,564

Last reported production: 1906

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
------------	------	----------------	-----------------	----------

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, seam, depth, thickness, mining method.

Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.

Mine Index 5212
William Mitchell, Mitchell Mine

Type: Underground Total mined-out acreage shown: None Production indicates approximately 5 acres were mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Main shaft	Grundy	34N 7E	33	NE NE NW

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	73-80			2.83-3.0	RP

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
William Mitchell	Mitchell	1904-1910	<u>12,450</u> 12,450

Last reported production: 1910

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
ISGS map library, 4107 d5-25, sheet 3	1919	1:62500	1:62500	Secondary source

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, seam, depth, thickness, mining method.
 Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.
 Mine notes (Grundy County) - Mine type, shaft location.
 ISGS Bulletin 43, Plate 3, ISGS map library, 4107 d5-26, sheet 3 - Mine location.

Mine Index 5225
John Stalker, Stalker Mine

Type: Underground Total mined-out acreage shown: None Production indicates approximately 8 acres were mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Main shaft	Grundy	34N 7E	28	SW SW SW

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	50-60			2.67-3.0	RP

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
James Heather	Heather	1903-1904	2,523
J. & J. Heather	Heather	1904-1905	2,400
James Heather	Heather	1905-1908	7,181
John Stalker	Stalker	1908-1913	7,785
			19,889

Last reported production: 1913

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
ISGS map library, 4107 d5-25, sheet 3	1919	1:62500	1:62500	Secondary source

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, seam, depth, thickness, mining method.
 Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.
 Mine notes (Grundy County) - Mine type, shaft location.
 ISGS Bulletin 43, Plate 3, ISGS map library, 4107 d5-25, sheet 3 - Mine location.

Mine Index 5235
R. Blair, Blair Mine

Type: Underground Total mined-out acreage shown: Not shown on the accompanying map because the location is not known. Production indicates less than 1 acre was mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Main shaft or slope	Grundy	34N 7E *		

* A more precise location of this mine is not known.

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	40			3.0	RP

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
R. Blair	Blair	1902-1904	<u>1,200</u> 1,200

Last reported production: 1904

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
------------	------	----------------	-----------------	----------

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, seam, depth, thickness, mining method.
 Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.

Mine Index 5416
Corcoran Brothers, Corcoran Mine

Type: Underground Total mined-out acreage shown: Not shown on the accompanying map because the location is not known. Production indicates approximately 1 acre was mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Main shaft	Grundy	unknown *		

* The location of this mine is not known. The mine's address was Morris and the Coal Report stated that the mine was 1 mile east of Morris. This mine may be in the Morris Quadrangle.

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	30			2.75	LW

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
Corcoran Brothers	Corcoran	1901-1902	<u>2,200</u> 2,200

Last reported production: 1902

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
------------	------	----------------	-----------------	----------

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, seam, depth, thickness, mining method.
 Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.

Mine Index 5417
Nelson Brothers, Nelson Mine

Type: Underground Total mined-out acreage shown: Not shown on the accompanying map because the location is not known. Production indicates less than 1 acre was mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Main shaft	Grundy	unknown *		

* The location of this mine is not known. The mine's address was Morris, but mining occurred north and south of the town. This mine may be in the Morris Quadrangle.

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	60			2.67	RP

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
Nelson Brothers	Nelson	1900-1902	<u>2,100</u> 2,100

Last reported production: 1902

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
------------	------	----------------	-----------------	----------

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, seam, depth, thickness, mining method.
 Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.

Mine Index 5418
Henry Tasdall, Tasdall Mine

Type: Underground Total mined-out acreage shown: Not shown on the accompanying map because the location is not known. Production indicates approximately 2 acres were mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Main shaft	Grundy	unknown *		

* The location of this mine is not known. The mine's address was Morris, and, according to the Coal Report, the mine was 9.5 miles northwest of Morris. This mine may be on the Stavanger Quadrangle.

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	97			2.75	RP

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
Tasdal Brothers	Tasdal	1898-1900	1,811
Tasdal & Anestad	Tasdal & Anestad	1900-1902	1,525
Henry Tesdall	Tesdall	1902-1904	1,549
			4,885

Last reported production: 1904

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
------------	------	----------------	-----------------	----------

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, seam, depth, thickness, mining method.
 Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.

Mine Index 5419
Mitchell Brothers, Mitchell Mine

Type: Underground Total mined-out acreage shown: Not shown on the accompanying map because the location is not known. Production indicates approximately 13 acres were mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Main shaft	Grundy	unknown *		

* The location of this mine is not known. The mine's address was Morris, but mining occurred north and south of the town. This mine may be in the Morris Quadrangle.

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	25-56			2.5-2.75	RP

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
James Heather	Heather	1898-1902	11,044
Mitchell Brothers	Mitchell	1902-1907	13,278
John Mitchell	Mitchell	1907-1908	1,500
Mitchell Brothers	Mitchell	1908-1909	2,480
John Mitchell	Mitchell	1909-1910	1,400
Mitchell Brothers	Mitchell	1910-1911	<u>2,160</u>
			31,862

Last reported production: 1911

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
------------	------	----------------	-----------------	----------

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, seam, depth, thickness, mining method.
 Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.

Mine Index 5420**Milo E. Howe, Heather No. 2 Mine**

Type: Underground Total mined-out acreage shown: Not shown on the accompanying map because the location is not known. Production indicates less than 1 acre was mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Main shaft	Grundy	34N 7E *		

* The location of this mine is not known. The mine's address was Morris, but mining occurred north and south of the town. This mine may be in the Morris Quadrangle.

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	35-37			3.0	RP

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
James Heather	Heather No. 2	1896-1897	600
Charles Heather	Heather No. 2	1897-1898	900
Milo E. Howe	Heather No. 2	1898-1898	<u>unknown</u> ** 1,500

** The 1898 Coal Report stated that Milo E. Howe bought the mine formerly operated by Charles Heather, but abandoned it after operating the mine for a short time. The production during that short time was not reported or the production was listed under Charles Heather.

Last reported production: 1898

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
------------	------	----------------	-----------------	----------

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, seam, depth, thickness, mining method.
Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.

Mine Index 5422
George R. Blair, Blair Mine

Type: Underground Total mined-out acreage shown: Not shown on the accompanying map because the location is not known. Production indicates approximately 4 acres were mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Main shaft	Grundy	unknown *		

* The location of this mine is not known. The mine's address was Morris, but mining occurred north and south of the town. This mine may be in the Morris Quadrangle.

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	27-35			2.5-3.0	RP

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
George R. Blair	Blair	1884-1900 **	8,770
			8,770

** Idle 1898

Last reported production: 1900

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
------------	------	----------------	-----------------	----------

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, seam, depth, thickness, mining method.
 Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.

Mine Index 5423**Howe & George, Howe & George Mine**

Type: Underground Total mined-out acreage shown: Not shown on the accompanying map because the location is not known. Production indicates less than 1 acre was mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Main shaft	Grundy	unknown *		

* The location of this mine is not known. The mine's address was Morris, but mining occurred north and south of the town. This mine may be in the Morris Quadrangle.

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	40			2.5	RP

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
Howe & George	Howe & George	1895-1896	<u>600</u> 600

Last reported production: 1896

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
------------	------	----------------	-----------------	----------

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, seam, depth, thickness, mining method.

Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.

Mine Index 5424**Thomas Scott & Son, Scott Mine**

Type: Underground Total mined-out acreage shown: Not shown on the accompanying map because the location is not known. Production indicates less than 1 acre was mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Main shaft	Grundy	unknown *		

* The location of this mine is not known. The mine's address was Morris, but mining occurred north and south of the town. This mine may be in the Morris Quadrangle.

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	92			3.17-3.25	RP

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
Thomas Scott & Son	Scott	1895-1898	<u>2,583</u> 2,583

Last reported production: 1898

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
------------	------	----------------	-----------------	----------

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, seam, depth, thickness, mining method.
Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.

Mine Index 5425
Harry Kay, Kay No. 2 Mine

Type: Underground Total mined-out acreage shown: Not shown on the accompanying map because the location is not known. Production indicates approximately 1 acre was mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Main shaft	Grundy	unknown *		

* The location of this mine is not known. The mine's address was Morris, but mining occurred north and south of the town. This mine may be in the Morris Quadrangle.

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	60			3.5	RP

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
Harry Kay	Kay No. 2	1895-1897	<u>3,800</u> 3,800

Last reported production: 1897

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
------------	------	----------------	-----------------	----------

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, seam, depth, thickness, mining method.
 Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.

Mine Index 5427**Max Davidson & Son, Davidson Mine**

Type: Underground Total mined-out acreage shown: None Production indicates approximately 1 acre was mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Main shaft	Grundy	34N 7E	35	SE

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	33			2.83	RP

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
Max Davidson & Son	Davidson	1908-1910	<u>2,490</u> 2,490

Last reported production: 1910

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
Atlas of Grundy County	1892	1:31680	1:31680	Secondary source

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, seam, depth, thickness, mining method.
Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.
1892 Atlas of Grundy County - Land ownership.

Mine Index 5428
Wood Coal Company, Wood Mine

Type: Underground Total mined-out acreage shown: Not shown on the accompanying map because the location is not known. Production indicates approximately 25 acres were mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Main shaft	Grundy	unknown *		
New shaft (1898-1899)	Grundy	unknown *		

* The location of this mine is not known. The mine's address was Morris, but mining occurred north and south of the town. This mine may be in the Morris Quadrangle.

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	48-73			2.33-3.0	RP

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
William Wood	Wood	1894-1898	7,289
William Wood **	Wood No. 5	1898-1906	25,842
Wood Coal Company	Wood	1906-1913	<u>18,765</u>
			51,896

** This new shaft was 400 feet west of the previous abandoned shaft. It has been included in the same history since it probably accesses the same reserve block.

Last reported production: 1913

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
------------	------	----------------	-----------------	----------

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, seam, depth, thickness, mining method.
 Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.

Mine Index 5429**Griffith & Wren, Griffith & Wren Mine**

Type: Underground Total mined-out acreage shown: Not shown on the accompanying map because the location is not known. Production indicates approximately 3 acres were mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Main shaft	Grundy	unknown *		

* The location of this mine is not known. The mine's address was Morris, but mining occurred north and south of the town. This mine may be in the Morris Quadrangle.

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	24			2.5	RP

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
Griffith & Wren	Griffith & Wren	1894-1900	<u>6,901</u> 6,901

Last reported production: 1900

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
------------	------	----------------	-----------------	----------

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, seam, depth, thickness, mining method.

Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.

Mine Index 5432
Joseph D. Maher, Maher Mine

Type: Underground Total mined-out acreage shown: Not shown on the accompanying map because the location is not known. Production indicates approximately 1 acre was mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Main shaft	Grundy	unknown *		
Air / escape shaft (1896)	Grundy	unknown *		

* The location of this mine is not known. The mine's address was Morris, but mining occurred north and south of the town. This mine may be in the Morris Quadrangle.

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	50-60			2.75-3.0	RP

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
Maegher & Dateman	Maegher & Dateman	1893-1894	204
J. B. Maegher	Maegher	1894-1895	1,800
Joseph D. Maher	Maher	1895-1896	900
			<u>2,904</u>

Last reported production: 1896

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
------------	------	----------------	-----------------	----------

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, seam, depth, thickness, mining method.
 Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.

Mine Index 5436**A. Watson, Watson Mine**

Type: Underground Total mined-out acreage shown: None Not shown on accompanying map because of later surface mining. Production indicates less than 1 acre was mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Main shaft	Grundy	34N 7E	34	SE SW NW *

* The landowner was A. F. Watson. Two other shafts on this property were assigned to the Watson Mine (mine index 6180).

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	41-50			2.5-3.0	UG

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
A. Watson	Watson	1878-1883	1,160 ** 1,160

** Production and years of operation prior to July 1878 are unknown. The 1874 Atlas of Grundy County shows a shaft at this location, indicating that mining was taking place in the early 1870s.

Last reported production: 1883

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
Atlas of Grundy County	1874	1:31680	1:31680	Secondary source

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, seam, depth, thickness.

Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.

1874 Atlas of Grundy County - Shaft location, land ownership.

Mine Index 5448**William George, George Mine**

Type: Underground Total mined-out acreage shown: None Not shown on the accompanying map because of later surface mining. Production indicates less than 1 acre was mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Main shaft	Grundy	34N 7E	35	SW NW NE

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	35-50			2.0-3.0	Underground

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
William George	George	1874-1885 *	<u>1,310</u> **
			1,310

* Idle 1884

** Production and years of operation prior to July 1878 and from July 1879 to July of 1883 are unknown.

Last reported production: 1885

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
Atlas of Grundy County	1874	1:31680	1:31680	Secondary source

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, seam, depth, thickness, mine type.

Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.

1874 Atlas of Grundy County - Shaft location, land ownership.

Mine Index 5522
Robert Condon, Condon No. 2 Mine

Type: Underground Total mined-out acreage shown: 7

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Main shaft	Grundy	34N 7E	20	1409.5 FNL, 1700 FWL
Air shaft	Grundy	34N 7E	20	NW SE NW

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	74			2.25	MRP

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
Robert Condon	Condon No. 2	1936-1943	<u>14,735</u> 14,735

Last reported production: 1943

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
Microfilm, document 351693	11-30-1943	1:2400	1:2400	Final *
WPA, T34N-R7E	circa 1934	1:57600	1:57600	Secondary source

* The source map indicates workings of an older abandoned mine to the west and northwest. The extent of the mined area is unknown.

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation.
 Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.
 Mine notes (Grundy County) - Mine type, shaft location, seam, depth, thickness.
 Microfilm map, document 351693, reel 03137, frame 61 - Shaft locations, mine outline, depth, mining method.
 WPA map, T34N-R7E - Mine location.

Mine Index 5526
Mitchell Brothers, Mitchell Mine

Type: Underground Total mined-out acreage shown: None Production indicates less than 1 acre was mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Main shaft	Grundy	34N 7E	28	SW SW SE

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester					Underground

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
Mitchell Brothers	Mitchell	1901-1902	<u>1,500</u> 1,500

Last reported production: 1902

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
ISGS composite	8-1950	1:62500	1:62500	Secondary source

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation.
 Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.
 ISGS field notes (Grundy County) - Mine type, shaft location, seam, depth, thickness.
 ISGS composite map, 1950 mined-out area map, Area 1 - Mine location.

Mine Index 6180
Dixon & Morrill, Watson Mine

Type: Underground Total mined-out acreage shown: None Production indicates approximately 2 acres were mined.

SHAFT, SLOPE, DRIFT or TIPPLE LOCATIONS

Type	County	Township-Range	Section	Quarters-Footage
Shaft	Grundy	34N 7E	34	SW SW NW *
Shaft	Grundy	34N 7E	34	SW SW NW *

* The landowner was A. F. Watson. Since the two shafts were so close to one another (only about 150 feet apart), they were given the same mine index number. There is another mine on this property, which was assigned to the Watson Mine (mine index 5436).

GEOLOGY

Seam(s) Mined	Depth (ft)	Thickness (ft)			Mining Method
		Min	Max	Ave	
Colchester	30			2.5	RP

Geologic Problems Reported:

PRODUCTION HISTORY

Company	Mine Name	Years	Production (tons)
Alex Watson	Watson	1888-1890 **	750
Anthony F. Watson	Watson	1890-1893	1,910
Dixon & Morrill	Watson	1893-1894	<u>1,200</u>
			3,860

** The 1874 Atlas of Grundy County shows two shafts at this location, indicating that mining was taking place in the early 1870s.

Last reported production: 1894

SOURCES OF DATA

Source Map	Date	Original Scale	Digitized Scale	Map Type
Atlas of Grundy County	1874	1:31680	1:31680	Secondary source

Annotated Bibliography (data source, brief description of information)

Coal Reports - Production, ownership, years of operation, seam, depth, thickness, mining method.
 Directory of Illinois Coal Mines (Grundy County) - Mine names, mine index, ownership, years of operation.
 1874 Atlas of Grundy County - Shaft location, land ownership.

OTHER MINES SHOWN ON THE LISBON QUADRANGLE

Mine Index 2384 NW NE NW 20-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919); ISGS 1950 mined-out area map, Area 1; ISGS mine notes

Mine Index 5098 SW NE SW 35-T34N-R7E, underground mine source: 1874 Atlas of Grundy County

Mine Index 5459 SE SE NW 20-T34N-R7E, underground source: ISGS 1950 mined-out area map, Area 1; ISGS mine notes

Mine Index 5460 NW SE NW 20-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919); ISGS 1950 mined-out area map, Area 1; ISGS mine notes

Mine Index 5461 SW NW NE 20-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919); 1892 Plat Book of Grundy County, Illinois (Alden Ogle & Co.); ISGS mine notes

Mine Index 5462 NE NE NW 20-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919); ISGS 1950 mined-out area map, Area 1; ISGS mine notes; Federal Land Bank Report

Mine Index 5464 SE SE SE 21-T34N-R7E, underground source: ISGS 1950 mined-out area map, Area 1; Federal Land Bank Report

Mine Index 5466 Wilson Mine * SE NW SW 25-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919); ISGS 1950 mined-out area map, Area 1; ISGS mine notes

Mine Index 5467 * NW SW SW 25-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919); ISGS 1950 mined-out area map, Area 1; ISGS mine notes; Federal Land Bank Report

Mine Index 5468 * SW NW SW 25-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919); ISGS 1950 mined-out area map, Area 1; ISGS mine notes; Federal Land Bank Report

Mine Index 5469 NE SE SE 28-T34N-R7E, shaft, 50' deep, 2-6' thick source: ISGS field notes (H. E. Culver, 8-1919); ISGS mined out area map, Area 1; ISGS mine notes

Mine Index 5470 SW NE SE 28-T34N-R7E, underground source: ISGS 1950 mined-out area map, Area 1; ISGS mine notes; ISGS field notes (H. E. Culver, 1919); Federal Land Bank Report

Mine Index 5471 NE NE SE 28-T34N-R7E, underground source: ISGS 1950 mined-out area map, Area 1; ISGS mine notes; Federal Land Bank Report

Mine Index 5472 NW NE SE 28-T34N-R7E, underground source: ISGS 1950 mined-out area map, Area 1; ISGS mine notes; Federal Land Bank Report

Mine Index 5473 SE SE NE 28-T34N-R7E, underground source: ISGS 1950 mined-out area map, Area 1; ISGS mine notes; Federal Land Bank Report

Mine Index 5474 SE SE SW 28-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919); ISGS Mining Investigations Bulletin 10 (1914); ISGS field notes (H. E. Culver, 8-1919); ISGS mine notes

Mine index 5475 SE SW SW 28-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919); ISGS 1950 mined-out area map, Area 1; ISGS mine notes

Mine Index 5476 SE SW SW 28-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919); ISGS field notes (H. E. Culver, 8-1919); ISGS 1950 mined-out area map, Area 1; ISGS mine notes

Mine Index 5477 SW SW SW 28-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919); ISGS mine notes; Federal Land Bank Report

Mine Index 5478 NE SW SW 28-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919); ISGS field notes (H. E. Culver, 8-1919); ISGS mine notes; Federal Land Bank Report

Mine Index 5479 SW NW SW 28-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919); ISGS field notes (H. E. Culver, 8-1919); ISGS mine notes; Federal Land Bank Report

Mine Index 5486 NE SW SE 33-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919); ISGS mine notes; Federal Land Bank Report

Mine Index 5487 NE NE SE 33-T34N-R7E, underground source: ISGS 1950 mined-out area map, Area 1; ISGS mine notes; Federal Land Bank Report

Mine Index 5488 NE SE NE 33-T34N-R7E, underground source: ISGS mine notes, Federal Land Bank Report

Mine Index 5489 SE NE NW 33-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919); ISGS 1950 mined-out area map, Area 1; ISGS mine notes

Mine Index 5491 NE SE SW 35-T34N-R7E, underground source: ISGS mine notes

Mine Index 5494 * SW SW NW 35-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919); ISGS 1950 mined-out area map, Area 1; ISGS mine notes

Mine Index 5495 * NW SE NW 35-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919); ISGS 1950 mined-out area map, Area 1; ISGS mine notes

Mine Index 5499 SW NE SW & NW SE SW 35-T34N-R7E, shafts (2 with same landowner) source: 1874 Atlas of Grundy County

Mine Index 5502 * SW SE NE 35-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919)

Mine Index 5503 * NW SW NE 35-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919); ISGS 1950 mined-out area map, Area 1

Mine Index 5504 * SE SE NW 35-T34N-R7E, shaft source: ISGS Bulletin 43, Plate 3 (1919); ISGS field notes (H. E. Culver, 1920); ISGS 1950 mined-out area map, Area 1

Mine Index 5505 * NW SE NW 35-T34N-R7E, shaft source: 1874 Atlas of Grundy County

Mine Index 5520 SE SE SE 28-T34N-R7E, shaft source: ISGS field notes (H. E. Culver, 1919)

Mine Index 5521 SE SE SE 20-T34N-R7E, underground source: ISGS 1950 mined-out area map, Area 1

Mine Index 5523 * SE NE SW 33-T34N-R7E, underground source: Federal Land Bank Report
 Mine Index 5524 NE NW SE 29-T34N-R7E, underground source: Federal Land Bank Report
 Mine Index 5527 NW NW SW 28-T34N-R7E, shaft source: ISGS Bulletin 43, Plate 3 (1919); ISGS 1950 mined-out area map, Area 1; Federal Land Bank Report; ISGS mine notes
 Mine Index 5529 SW SW NW 28-T34N-R7E, shaft source: ISGS Bulletin 43, Plate 3 (1919); ISGS 1950 mined-out area map, Area 1
 Mine Index 5530 * SW NE NE 35-T34N-R7E, shaft source: 1874 Atlas of Grundy County
 Mine Index 5531 * SW NW NW 34-T34N-R7E, underground source: ISGS Bulletin 43 Plate 3 (1919)
 Mine Index 5538 NE SW SW 35-T34N-R7E, underground source: 1874 Atlas of Grundy County; ISGS Bulletin 43, Plate 3 (1919); ISGS 1950 mined-out area map, Area 1; Federal Land Bank Report
 Mine Index 5539 Davidson SE NE SW 35-T34N-R7E, surface source: ISGS Bulletin 43 Plate 3 (1919); ISGS field notes (H. E. Culver, 8-1919)
 Mine Index 5540 NE NW SE 35-T34N-R7E, underground source: ISGS Bulletin 43 Plate 3 (1919); ISGS 1950 mined-out area map, Area 1
 Mine Index 5541 SE SE NW 35-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919); ISGS 1950 mined-out area map, Area 1
 Mine Index 5542 NW SE NE 35-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919); ISGS field notes (H. E. Culver, 1920); ISGS 1950 mined-out area map, Area 1
 Mine Index 6845 SW SW NE 20-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919)
 Mine Index 6859 NW SE NW 20-T34N-R7E, underground source: ISGS 1950 mined-out area map, Area 1
 Mine Index 6860 center W ½ NW 20-T34N-R7E, underground source: ISGS 1950 mined-out area map, Area 1
 Mine Index 6861 * NW NE SW 25-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919)
 Mine Index 6862 SW NW SW 28-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919); ISGS field notes (H. E. Culver, 1919)
 Mine Index 6863 SW SE SW 28-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919); ISGS field notes (H. E. Culver, 1919)
 Mine Index 6864 * NW NW SW 35-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919); ISGS 1950 mined-out area map, Area 1; Federal Land Bank Report
 Mine Index 6865 * NE NW SW 35-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919); ISGS 1950 mined-out area map, Area 1; ISGS mine notes
 Mine Index 6866 SE NE NW 35-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919)
 Mine Index 6867 * SE NE NW 35-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919)
 Mine Index 6868 NW SE NE 35-T34N-R7E, underground source: ISGS Bulletin 43, Plate 3 (1919)
 Mine Index 6869 SE SE NE 33-T34N-R7E, shaft source: 1874 Atlas of Grundy County
 Mine Index 6870 NE NE SE 33-T34N-R7E, shaft source: 1874 Atlas of Grundy County
 Mine Index 6871 SE NE SE 33-T34N-R7E, shafts (2) source: 1874 Atlas of Grundy County
 Mine Index 6872 NW SW SW 34-T34N-R7E, shaft source: 1874 Atlas of Grundy County
 Mine Index 6873 SW NW SW 34-T34N-R7E, shaft source: 1874 Atlas of Grundy County
 Mine Index 6874 * NW NW SW 34-T34N-R7E, shaft source: 1874 Atlas of Grundy County
 Mine Index 6875 * NW NE SE 35-T34N-R7E, shaft source: 1874 Atlas of Grundy County
 Mine Index 6876 * SE SE NE 35-T34N-R7E, shaft source: 1874 Atlas of Grundy County

* Not shown on accompanying map due to later surface mining.

MINES WHOSE LOCATIONS ARE NOT KNOWN ON THE LISBON QUADRANGLE

The locations of the following mines are unknown, but the production tonnage, operating names, and nearest town were reported in the Annual Coal Reports. The operators listed below mined in or near the Lisbon Quadrangle. The information shown is similar to that presented on the summary sheets in the previous pages of this directory. The first item is the name the mine operated under as listed in the Coal Report, then the years the mine reported. If no physical data are available, the next item listed is the total tons produced by the mine. If physical data are available, the order of presentation is as follows: type of opening for the mine (drift, slope or shaft), depth of coal in feet, and thickness of coal in feet.

The total tons mined by these unlocated mines is 84,684 (83,784 underground and 900 surface mined), which would represent approximately 30 to 53 acres, depending on the recovery factor, mining method, and numerous other factors. (Note: 1 square mile = 640 acres)

MORRIS

Telfer (Alex W.) & Son, 1894-1899, shaft, Colchester, 66, 2.5-2.67, RP	11,654 tons	Mine Index 5433
Thurson (Lars), 1884-1890, shaft, Colchester, 48-60, 2.5-3.0, RP	4,863 tons	Mine Index 5434
Thurston (Thomas L.), 1890-1894	2,725 tons	
Garritty (Thomas), 1894-1895	<u>918</u> tons	
	8,506 tons	
Kay (Harry), No 1 Mine, 1889-1897, shaft, Colchester, 80, 3.0-3.5, RP	11,739 tons	Mine Index 5435
Nelson (John F.), 1887-1891, shaft, Colchester, 60, 3.0, RP	2,140 tons	Mine Index 5438
Cryer & Wren, 1887-1888, shaft, Colchester, 60, 2.5, RP	1,000 tons	Mine Index 5439
Wren (George), 1888-1892	<u>4,650</u> tons	
	5,650 tons	
Cummings (James), 1884-1885, shaft, Colchester, 25, 3.0, RP	650 tons	Mine Index 5440
Hornsby (William), 1884-1889, shaft, Colchester, 40, 3.0, RP	3,194 tons	Mine Index 5441
Walsh (Thomas), 1884-1889, shaft, Colchester, 25, 3.0, RP	3,445 tons	Mine Index 5442
Martin (Lee), 1884-1889, shaft, Colchester, 36, 3.0, RP	5,059 tons	Mine Index 5443
Ferguson (William), 1884-1885, shaft, Colchester, 32, 3.0, RP	600 tons	Mine Index 5444
Bell (Alexander), 1884-1893, shaft, Colchester, 25-40, 2.33-3.0, RP	4,192 tons	Mine Index 5445
Yates (James), 1882-1883, shaft, Colchester, 47, 3.0	420 tons	Mine Index 5447
Olendorf Mine, 1882-1883, shaft, Colchester, —, 2.5	360 tons	Mine Index 5449
Erickson (John), 1882-1883, shaft, Colchester, 36, 2.5	720 tons	Mine Index 5450
McBride (N.), 1878-1883, shaft, Colchester, 50-52, 2.5-3.0	2,768 tons	Mine Index 5451
Gorich (J.), 1878-1879, shaft, Colchester, 50, 3.0	300 tons	Mine Index 5452
Steele (John), 1878-1879, shaft, Colchester, 40-53, 3.0, RP	1,500 tons	Mine Index 5453
Steele (George), 1881-1883	1,800 tons	
Steele (John), 1884-1885	<u>250</u> tons	
	3,550 tons	
Cronin Brothers, 1881-1883, shaft, Colchester, 62-63, 2.75	2,370 tons	Mine index 5454
Mallory & Ross, 1878-1879, shaft, Colchester, 46-50, 2.5-3.0	1,000 tons	Mine Index 5455
Ross (Thomas H.), 1881-1883	<u>8,100</u> tons	

	9,100 tons	
Erickson (Thomas), 1885-1886, shaft, Colchester, 35, 3.0, RP	840 tons	Mine Index 6740
Roakes Mine, 1878-1879, shaft, Colchester, 50, 3.0	300 tons	Mine Index 6741
Pratt (Mrs.), 1878-1879, shaft, Colchester, 20, 3.0	1,000 tons	Mine Index 6742
Tasdall (Henry), 1905-1908, shaft, Colchester, 100-105, 2.33-2.67, RP	2,922 tons	Mine Index 6743
Goode Brothers, 1891-1892, shaft, Colchester, 40, 2.5, RP	45 tons	
Telfer (John), 1898-1902, shaft, Colchester, 20, 2.67, RP	2,260 tons	
Enbody Coal Company, 1936-1936, Colchester, surface	900 tons	

INDEX OF MINES IN THE LISBON QUADRANGLE

Anestad (Tesdal & Anestad)	29
Bell (Alex)	15
Bell (Alexander)	47
Bell (Alexander), No. 2 Mine	12
Bell (James), No. 2 Mine	12
Bell Brothers, No. 2 Mine	12
Blair (George R.)	32
Blair (R.)	26
Clayton (Heather & Clayton)	10
Clayton Brothers	10
Clayton, Ferguson & Gainty	20
Condon (Robert), No. 2 Mine	42
Corcoran Brothers	27
Cronin Brothers	47
Cryer & Wren	47
Cummings (James)	47
Dateman (Maegher & Dateman)	39
Davidson	46
Davidson (Max) & Son	23, 36
Davidson (Max) & Sons	11
Dixon & Morrill	44
Enbody Coal Company	48
Erickson (John)	47
Erickson (Thomas)	48
Ferguson (Clayton, Ferguson & Gainty)	20
Ferguson (Thomas A.)	20
Ferguson (William)	47
Foley (C.)	21
Gainty (Clayton, Ferguson & Gainty)	20
Garrity (Thomas)	47
George (Howe & George)	33
George (William)	41
Gilbride (Frank), No. 1 Mine	14
Gilbride (Frank), No. 2 Mine	14
Goode Brothers	48
Gorich (J.)	47
Griffith & Wren	38
Heather (Charles)	31
Heather (J. & J.)	25
Heather (James)	25, 30
Heather (James), No. 2 Mine	31
Heather (John)	14
Heather & Clayton	10
Heather Coal Company, No. 2 Mine	13
Hodson (William)	22
Hornsby (William)	47
Howe (Milo E.)	31
Howe & George	33
Hudson & Ledwards	22
Kay (Harry)	47
Kay (Harry), No. 2 Mine	35
Ledwards (Hudson & Ledwards)	22
Lee (Ralph)	22
Maegher (J. B.)	39
Maegher & Dateman	39
Maher (Joseph D.)	39
Mallory & Ross	47
Martin (Lee)	47
McBride (N.)	47
Mitchell (John)	30
Mitchell (William)	24
Mitchell Brothers	30, 43
Mogita (Frank)	18

Morocco Mine	9
Morrill (Dixon & Morrill)	44
Morris Coal & Mining Company, No. 2 Mine	9
Morris Mine	16
Nelson (John F.)	47
Nelson Brothers	28
Northeastern Illinois Coal Company	17
Northwestern Coal Corporation	16
Olendorf Mine	47
Pratt (Mrs.)	48
Roakes Mine	48
Ross (Mallory & Ross)	47
Ross (Thomas H.)	47
Saratoga Mining Company	19
Scott (Thomas) & Son	34
Stalker (John)	25
Steele (George)	47
Steele (John)	47
Tasdal & Anestad	29
Tasdal Brothers	29
Tasdall (Henry)	48
Telfer (Alex W.) & Son	47
Telfer (John)	48
Tesdall (Henry)	29
Thurson (Lars)	47
Thurston (Thomas L.)	47
Walsh (Thomas)	47
Watson (A.)	40
Watson (Alex)	44
Watson (Anthony F.)	44
Wilson Mine	45
Wood (William)	37
Wood (William), No. 5 Mine	37
Wood Coal Company	37
Wren (Cryer & Wren)	47
Wren (George)	47
Wren (Griffith & Wren)	38
Yates (James)	47

Funding for this project was supplied by the Illinois Department of Transportation.