

Coal Mines in Illinois Roodhouse West Quadrangle Greene County, Illinois

This map accompanies the Coal Mines Directory for the Roodhouse West Quadrangle. Consult the directory for a complete explanation of the information shown on this map.

Mining Method

- Room & Pillar (RP)
- Room & Pillar Basic (RPB)
- Modified Room & Pillar (MRP)
- Room & Pillar Panel (RPP)
- Blind Room & Pillar (BRP)
- Checkerboard Room & Pillar (CRP)
- High Extraction Retreat (HER)
- Longwall (LW)
- Underground, Method Unknown
- Strip Mine
- Auger Mine
- General Area of Mining

Other Areas Depicted

- Non-Coal Mines

Source of Mine Outline

- Final Mine Map
- Not Final Mine Map
- Undated Mine Map
- Incomplete Mine Map
- Secondary Source Map

Tipple, Shaft, Slope, Drift Locations

- Strip Mine Tipple - Active
- Strip Mine Tipple - Abandoned
- Mine Shaft - Active
- Mine Shaft - Abandoned
- Mine Slope - Active
- Mine Slope - Abandoned
- Mine Drift - Active
- Mine Drift - Abandoned
- Air Shaft
- Uncertain Location
- Uncertain Type of Opening

Other Points Depicted

- Non-Coal Mines

Location



Mine Annotation (space permitting)

Company
Mine Name
ISGS Index No., Years of Operation

Disclaimer

Please check the Coal Section at the Illinois State Geological Survey's web site at <https://www.isgs.illinois.edu> for the most up-to-date version of these products.

Note that each quadrangle scale mined-out area map requires the use of the associated text directory for full explanation of map features and mine attributes. Also note that some quadrangles have multiple seams of mining and therefore more than one map may be available for a particular quadrangle. Please take care to check for multiple maps, as extensive mining may exist in the other seams.

The maps and digital files used for these studies were compiled from data obtained from a variety of public and private sources and have varying degrees of completeness and accuracy. This compilation map presents reasonable interpretation of the geology of the area and is based on available data. Locations of some mine features may be off by 500 feet or more due to errors in the original source maps, the compilation process, digitizing, or a combination of these factors. These data are not intended for use in site-specific screening or decision-making. Use of these documents does not eliminate the need for detailed studies to fully understand the geology of a specific site. The Illinois State Geological Survey, Prairie Research Institute, or the University of Illinois make no guarantee, expressed or implied, regarding the correctness of the interpretations presented in this data set and accept no liability for the consequences of decisions made by others on the basis of the information presented here.

These maps were designed for use at 1:24,000. Enlarging the map may reduce accuracy, as the original scale of the source maps used to compile the outlines shown varies from 1:400 to 1:150,000, and some mine locations are known only from text descriptions. See the accompanying mine directory for the original scale of the source map used for a specific mine to check accuracy of a given portion of the map. Areas with no mines shown may still be undermined; see the unlocated mines list at the back of each mine directory.

The image of the U.S.G.S. topographic base map was projected from the original UTM to Lambert Conformal Conic.

ILLINOIS
Illinois State Geological Survey
PRAIRIE RESEARCH INSTITUTE

Prairie Research Institute
Illinois State Geological Survey
615 E. Peabody Dr.
Champaign, IL 61820



Mine Outlines Compiled by
C. Chenoweth

January 11, 2024

Produced by the United States Geological Survey

North American Datum of 1983 (NAD83)
World Geodetic System of 1984 (WGS84). Projection and
1 000-meter grid/Universal Transverse Mercator, Zone 15S
This map is not a legal document. Boundaries may be
generalized for this map scale. Private lands within government
reservations may not be shown. Obtain permission before
entering private lands.

Imagery.....NAP, August 2015 - October 2019
Roads.....U.S. Census Bureau, 2017
Names.....GNIS, 1980 - 2017
Hydrography.....National Hydrography Dataset, 2007 - 2015
Contours.....National Elevation Dataset, 2007 - 2015
Boundaries.....Multiple sources see metadata file 2014 - 2016
Public Land Survey System.....BLM, 2017
Wetlands.....FWS National Wetlands Inventory 1983 - 1986



ROODHOUSE WEST, IL
2018

DIRECTORY OF COAL MINES IN ILLINOIS

7.5-MINUTE QUADRANGLE SERIES

ROODHOUSE WEST QUADRANGLE

GREENE COUNTY

C. Chenoweth



2024

Prairie Research Institute
Praveen Kumar, Executive Director
ILLINOIS STATE GEOLOGICAL SURVEY
Richard C. Berg, Director

Natural Resources Building
615 East Peabody Drive
Champaign, Illinois 61820

Phone (217) 333-4747



This material is based upon work supported by the Illinois Department of Transportation. Any opinions, findings, and conclusions or recommendations expressed in this publication are those of the authors and do not necessarily reflect the views of the Illinois Department of Transportation.

Cover photo Track-mounted duckbill loading machine at a Peabody Coal Company mine, ca. 1915.

DISCLAIMER: The accuracy and completeness of mine maps and directories vary with the availability of reliable information. Maps and other information used to compile this mine map and directory were obtained from a variety of sources and the accuracy of some of the original information cannot be verified. Consequently, the Illinois State Geological Survey (ISGS) cannot guarantee the mine maps are free of errors and disclaims any responsibility for damages that may result from actions or decisions based on them.

The ISGS updates the maps and directories periodically, and welcomes any new information or corrections. Please contact the Coal Section of the ISGS at the address shown on the title page of this directory, or telephone (217) 333-4747.

© 2024 The Board of Trustees of the University of Illinois. All rights reserved.
For permission information, contact the Illinois State Geological Survey.

CONTENTS

INTRODUCTION	1
MINING IN THE ROODHOUSE WEST QUADRANGLE	1
PART I EXPLANATION OF MAP AND MINE SUMMARY SHEET	2
INTERPRETING THE MAP	2
Mine Type and Mining Method	2
Source Maps	3
Points and Labels	3
INTERPRETING A MINE SUMMARY SHEET	6
REFERENCES	8
PART II DIRECTORY OF MINES IN THE ROODHOUSE WEST QUADRANGLE	9
MINE SUMMARY SHEETS	9
OTHER MINES SHOWN ON ROODHOUSE WEST QUADRANGLE	9
Mine Index 6438	9
Mine Index 6442	9
Mine Index 6446	9
MINES WHOSE LOCATIONS ARE NOT KNOWN, ROODHOUSE WEST QUADRANGLE	10
INDEX OF MINES IN THE ROODHOUSE WEST QUADRANGLE	15

INTRODUCTION

Coal has been mined in 77 counties of Illinois. More than 7,400 coal mines have operated since commercial mining began in Illinois about 1810; fewer than 30 are currently active. To detail the extent and location of coal mining in Illinois, the Illinois State Geological Survey (ISGS) has compiled maps and directories of known coal mines. The ISGS offers maps at a scale of 1:100,000 and accompanying directories for each county in which coal mining is known to have occurred. Maps at a scale of 1:24,000 and accompanying directories, such as this, are available for selected quadrangles. Contact the ISGS for a list of these quadrangles.

These larger scale maps show the approximate positions of mines in relation to surface features such as roads and water bodies, and indicate the mining method used and the accuracy of the mine boundaries. The maps are useful for locating mine boundaries relative to specific properties and for assessing the potential for subsidence in an area. Mine boundaries compiled from final mine surveys are generally shown within 200 feet of their true position. As a result of poor cartographic quality and inaccuracies in the original mine surveys, boundaries of some older mines may be mislocated on the map by 500 feet or more. Original mine maps should be consulted in situations that require precise delineation of mine boundaries or internal workings of mined areas.

This directory serves as a key to the accompanying mine map and provides basic information on the coal mines in the quadrangle. The directory is composed of two parts. Part I explains the symbols and patterns used on the accompanying map and the summary data presented for each mine. Part II numerically lists the mines in the quadrangle and summarizes the geology and production history of each mine. Total production for the mine, not the portion in the quadrangle, is given.

MINING IN THE ROODHOUSE WEST QUADRANGLE

Coal mining began in the Roodhouse West Quadrangle prior to publication of the 1873 Atlas of Greene County, Illinois. One of the mines accessed the Colchester Coal, but the seam mined in the eastern part of the quadrangle is not known, nor is the length of time that the mines operated.

PART I EXPLANATION OF MAP AND MINE SUMMARY SHEET

INTERPRETING THE MAP

The map accompanying this directory shows the location of coal mines known to be present in the quadrangle. The map, corresponding to a U.S. Geological Survey (USGS) 7.5-minute quadrangle, covers an area bounded by lines of latitude and longitude 7.5-minutes apart. In Illinois, a quadrangle is approximately 6.5 miles east to west and 8.5 miles north to south, an area of about 56 square miles. The USGS generally offers one map of mines per quadrangle. In some areas where extensive mining occurred in two or more overlapping seams, separate maps are compiled for mines in each seam to maintain readability of the map.

Mine Type and Mining Method

The mine type is indicated on the map by pattern color: green represents surface mines; red and yellow represent underground mines. The red patterns are used for areas of underground mining that are documented by a primary or secondary source map. A yellow pattern is used for cases where no map of the mine workings is available, but a general area of mining can be inferred from property maps or production figures. The patterns indicate the main mining methods used in underground mines. The methods are (1) room and pillar and (2) high extraction. The method used gives some indication of the amount and pattern of coal extraction within each mined area, and has some influence on the timing and type of subsidence that can occur over a mine.

The following discussion and illustrations of mining methods are based on Guither et al. (1984).

In room-and-pillar mines, coal is removed from haulage-ways (entries) and selected areas called rooms. Pillars of unmined coal are left between the rooms to support the roof. Depending on the size of rooms and pillars, the amount of coal removed from the production areas will range from 40% to 70%.

Room and Pillar - mining is divided into six categories:

- room-and-pillar basic (RPB, fig. 1A), an early method that did not follow a preset mining plan and therefore resulted in very irregular designs;
- modified room and pillar (MRP, fig. 1B);
- room-and-pillar panel (RPP, fig. 1C);
- blind room and pillar (BRP, fig. 1D);
- checkerboard room and pillar (CRP, fig. 1E);
- room and pillar (RP), a classification used when the specific type of room-and-pillar mining is unknown.

Blind and checkerboard are the most common types of room-and-pillar mining used in Illinois today. The knowledge of room-and-pillar mining methods gives a trained engineer information on the nature of subsidence that may occur. A more extensive discussion of subsidence can be found in Bauer et al. (1993).

High-extraction These mining methods are subdivided into high-extraction retreat (HER, Fig 1F) and longwall (LW, Fig 1G, 1H). In these methods, much of the coal is removed within well defined areas of the mine. Subsidence of the surface above these areas occurs within weeks. Once the subsidence activity ceases, the potential for further movement over these areas is low; however, subsidence may continue for several years after mining.

High-extraction retreat mining is a form of room-and-pillar mining that extracts most of the coal. Rooms and pillars are developed in the panels, and the pillars are then systematically removed (fig. 1F).

In early (pre-1960) longwall mines, mining advanced in multiple directions from a central shaft (fig. 1G). Large pillars of coal were left around the shaft, but all coal was removed beyond these pillars. Miners placed rock and wooden props and cribs in the mined-out areas to support the mine roof. The overlying rock gradually settled onto these supports, thus producing subsidence at the surface. In post-1959 longwall mines, room-and-pillar methods have been used to develop the main entries of the mine and panel areas. Modern longwall methods extract 100 percent of the coal in the panel areas (fig. 1H).

SOURCE MAPS

Mine outlines depicted on the map are, whenever possible, based on maps made from original mine surveys. The process of compiling and digitizing the quadrangle map may produce errors of less than 200 feet in the location of mine boundaries. Larger errors of 500 feet or more are possible for mines that have incomplete or inaccurate source maps.

Because of the extreme complexity of some mine maps, detailed features of mined areas have been omitted. The digitized mine boundary includes the exterior boundary of all rooms or entries that were at least 80 feet wide or protruded 500 feet from the main mining area. Unmined areas between mines are shown if they are at least 80 feet wide; unmined blocks of coal within mines are shown if they are at least 400 feet on each side. Original source maps should be consulted when precise information on mine boundaries or interior features is needed.

The mine summary sheet lists the source maps used to determine each mine outline. The completeness of map sources is indicated on the map by a line symbol at the mine boundary. Source maps are organized in five categories.

Final mine map The mine outline was digitized from an original map made from mine surveys conducted within a few months after production ceased. The date of the map and the last reported production are listed on the summary sheet.

Not a final map The mine is currently active or the mine outline was made from a map based on mine surveys conducted more than a few months before production ceased. This implies the actual mined-out area is probably larger than the outline on the map. The mine summary sheet indicated the dates of source maps and the last reported production, as well as the approximate tonnage mined between these two dates (if the mine is abandoned). The summary sheet also lists the approximate acreage mined since the date of the map and, in some cases, indicates the area where additional mining may have taken place. This latter information is determined by locating on the map the active faces relative to probable boundaries of the mine property.

Undated map The source map was undated, so it may or may not be based on a final mine survey. When sufficient data are available, the probable acreage of the mined area is estimated from reported production, average seam thickness and a recovery rate comparable to other mines in the area. This information is listed in the summary sheet for the mine.

Incomplete map The source map did not show the entire mine. The summary sheet indicates the missing part of the mine map and the acreage of the unmapped area, which is estimated from the amount of coal known to have been produced from the mine.

Secondary source map The original mine map was not found so the outline shown was determined from secondary sources (e.g., outlines from small-scale regional maps published in other reports). The summary sheet describes the secondary sources.

POINTS AND LABELS

The locations of all known mine openings (shafts, slopes, and drifts) and surface mine tipples are plotted on the map. Tipples are areas where coal was cleaned, stockpiled, and loaded for shipping.

Only openings or tipples are plotted for mines without source maps. If the precise locations of these features are unknown, a special symbol is used to indicate the approximate location of the mine.

Each mine on the map is labeled with the names of the mine and operating company, ISGS mine index number, and years of operation (if known) if space permits. A seam designation is given on maps where more than one seam was mined. For a mine that operated under more than one name, only the most recent name is generally given. When a mine changed names or ownership shortly before closing, an earlier name is listed. All company and mine names are listed on the mine summary sheet in the directory, under the production history segment.



Figure 1 Mining methods: (A) room-and-pillar basic (RPB), (B) modified room and pillar (MRP), (C) room-and-pillar panel (RPP), (D) blind room and pillar (BRP).



Figure 1 (cont.) Mining methods: (E) checkerboard room and pillar (CRP), (F) high extraction retreat (HER), (G) early (pre-1960) longwall, (H) post-1959 longwall



Figure 2 Generalized stratigraphic section, showing approximate vertical relations of coals in Illinois.

INTERPRETING A MINE SUMMARY SHEET

The mine summary sheet is arranged numerically by mine index number. Index numbers are shown on the map and in the mine listing. The mine summary sheet provides the following information (if available).

Company and mine name The last company or owner of the mine is used, unless no production was recorded for the last owner. In that case, the penultimate owner is listed. Mines often have no specific name; in these cases, the company name is also used as the mine name.

Type *Underground* denotes a subsurface mine in which the coal was reached through a shaft, slope, or a drift entry. *Surface* denotes a surface, open pit or strip mine.

Total mined-out acreage shown The total acreage of the mined area mapped, including any acreage mined on adjacent quadrangles, is calculated from the digitized outline of the mine. The acreage of large barrier pillars depicted on the map is excluded from the mined-out acreage. Small pillars not digitized are included in the acreage calculation. If the mine outline is not based on a final mine map, the acreage is followed by an estimate of additional acres that may have been mined. The estimate is determined from reported mine production, approximate thickness of the coal, and recovery rates calculated from nearby mines that used similar mining methods.

SHAFT, SLOPE, DRIFT OR TIPPLE LOCATIONS

Shaft, slope, drift, or tippie locations Locations of all known former entry points to underground mines or the location of coal cleaning, tippie, and shipping equipment used by the mine's facility are listed. The location is described in terms of county, township and range (Twp-Rge), section, and location within the section by quarters. NE SW NW, for instance, would describe the location in the northeast quarter of the southwest quarter of the northwest quarter. When sections are irregular in size, the quarters remain the same size and are oriented (or "registered") from the southeast corner of the section. Approximate footage from the section lines (FEL = from east line, FNL = from north line, for example) is given when that information is known; this indicates a surveyed location and is not derived from maps. Entry points are also plotted on the map and coded for the type of entry or tippie. A mine opening may have had many purposes during the life of the mine. Old hoist shafts are often later used for air and escape shafts; this information is included in the directory when known. The tippie for underground mines was generally located near the main shaft or slope. At surface mines, coal was sometimes hauled to a central tippie several miles from the mine pit.

GEOLOGY

Seam(s) mined The name of the coal seam(s) mined is listed, if known. If multiple seams were mined, they are all listed, although the mined-out area for each seam may be shown on separate maps. Figure 2 shows the stratigraphic section of the coal-bearing interval in Illinois, and the vertical relations among the coals.

Depth The depth to the top of the seam in the vicinity of the shaft is listed, if known. The depth is determined from notes made by geologists who visited the mine during its operation or from drill hole data in ISGS files. Depth generally varies little over the extent of a mine; however, reported depths for an individual mine may vary. Depth for surface-mined coals varies, and is usually represented as a range.

Thickness The approximate thickness of the mined seam is shown, if known. Thickness also comes from notes of geologists who visited the mine during its operation or from borehole data in ISGS files. Minimum, maximum, and average thicknesses are given when this information is available.

Mining method The principal mining method used at the mine (figs. 1A-H) is listed. See the mining methods section at the beginning of this directory for a discussion of this parameter.

Geologic problems reported Any known geologic problems, such as faults, water seepage, floor heaving, and unstable roof, encountered in the mine are reported. This information is from notes made by ISGS geologists who visited the mine, or from reports by mine inspectors published by the Illinois Department of Mines and Minerals, or from the source map(s). Geologic problems are not reported for active mines.

PRODUCTION HISTORY

Production history Tons of coal produced from the mine by each mine owner are totaled. When the source map used for the mine outline is not a final mine map, the tonnage produced since the date of the map is identified. For mines that extend into adjacent quadrangles, the tonnage reported includes areas mined in adjacent quadrangles.

SOURCE OF DATA

Source map This section lists information about the map(s) used to compile the mine outline and the locations of tipples and mine openings. In some cases more than one source map was used. For example, a map drawn before the mine closed may provide better information on original areas of the mine than a later map. When more than one map was used, the bibliography section explains what information was taken from each source.

Date The date of the most recent mine survey listed on the source map is reported.

Original scale The original scale of the source map is listed. Many maps are photo-reductions and are no longer at their original scale. The original scale gives some indication of the level of detail of the mine outline and the accuracy of the mine boundary relative to surface features. Generally, the larger the scale, the greater the accuracy and detail of the mine map. Mine outlines taken from source maps at scales smaller than 1:24,000 may be highly generalized and may well be inaccurately located with respect to surface features.

Digitized scale The scale of the digitized map is reported. The scale may be different from that of the original source map. In many cases the digitized map was made from a photo-reduction of the original source map, or the source map was not in a condition suitable for digitizing and the mine boundaries were transferred to another base map.

Map type Source maps are classified into five categories to indicate the probable completeness of the map. See discussion of source maps in the previous section.

Annotated bibliography Sources that provide information about the mine are listed, with the data taken from each source. Some commonly used sources are described below. Full bibliographic references are given for all other sources. Unless otherwise noted, all sources are available for public inspection at the ISGS.

Coal Reports Published since 1881, these reports contain tabular data on mine ownership, production, employment, and accidents. Some volumes include short descriptions made by mine inspectors of physical features and conditions in selected mines.

Directory of Illinois Coal Mines This source is a compilation of basic data about Illinois coal mines, originally gathered by ISGS staff in the early 1950s. Sources used for this directory are undocumented, but they are primarily Illinois Department of Mines and Minerals annual reports, ISGS mine notes, and coal company officials.

ENR Document 85/01, Guither, H. D., J. K. Hines, and R. A. Bauer, 1985 The Economic Effect of Underground Mining Upon Land Used for Illinois Agriculture: Illinois Department of Energy and Natural Resources Document 85/01, 185 p.

Microfilm map The U.S. Bureau of Mines maintains a microfilm archive of mine maps. A microfilm file for Illinois is available for public viewing at the ISGS.

Mine notes ISGS geologists have visited mines or contacted mine officials throughout the state since the early 1900s. Notes made during these visits range from brief descriptions of the mine location to long narratives (including sketches) of mining conditions and geology.

Federal Land Bank of St. Louis, Preliminary Reports on Subsidence Investigations Mining engineers working for the Federal Land Bank of St. Louis mapped areas of subsidence due to coal mining in the early 1930s. These reports often include county maps of mine properties with mined-out areas including shaft locations, as well as subsidence areas.

REFERENCES

- Andreas, L. & C., 1873, Atlas map of Greene County, Illinois. Davenport, Iowa: Andreas, Lyter & Co. [Map]
Retrieved from the Library of Congress, <https://www.loc.gov/item/2006628620/>.
- Bauer, R. A., B. A. Trent, and P. B. Dumontelle, 1993, Mine Subsidence in Illinois: Facts for the Homeowner Considering Insurance, Illinois State Geological Survey, Environmental Geology Note 144, 16p.
- Guither, H. D., J. K. Hines, and R. A. Bauer, 1985, The Economic Effects of Underground Mining Upon Land Used for Illinois Agriculture, Illinois Department of Energy and Natural Resources Document 85/01, 185p.
- Ogle, G. A., 1893, Plat Book of Greene and Jersey Counties, Illinois, published by Hammond Publishing Company, Lansing, Michigan, 54p.

PART II DIRECTORY OF MINES IN THE ROODHOUSE WEST QUADRANGLE

MINE SUMMARY SHEETS

A summary sheet on the geology and production history of each mine in the Roodhouse West Quadrangle is provided. These summary sheets are arranged numerically by mine index number. Consult Part I for a complete explanation of the data listed in the summary sheet.

OTHER MINES SHOWN ON ROODHOUSE WEST QUADRANGLE

Mine Index 6438 NE NE SE 25-T12N-R12W source: Atlas of Greene County, Illinois (1873)

Mine Index 6442 NW SE SE 25-T12N-R12W, shaft source: Plat Book of Greene & Jersey Counties, Illinois (1893)

Mine Index 6446 NW NW NE 31-T12N-R12W, Colchester Coal source: Atlas of Greene County, Illinois (1873)
and ISGS field notes (J. R. Van Pelt, Jr., 7-7-1927)

MINES WHOSE LOCATIONS ARE NOT KNOWN, ROODHOUSE WEST QUADRANGLE

The locations of the following mines are unknown, but the production tonnage, operating names, and nearest town were reported in the Annual Coal Reports. The operators listed below mined in or near the Roodhouse West Quadrangle. The information shown is similar to that presented on the summary sheets in the previous pages of this directory. The first item is the name the mine operated under as listed in the Coal Report, then the years the mine reported. If no physical data are available, the next item listed is the total tons produced by the mine. If physical data are available, the order of presentation is as follows: type of opening for the mine (drift, slope or shaft), depth of coal in feet, and thickness of coal in feet.

The total tons mined by these unlocated mines is 316,187 (308,969 underground and 61 surface mined and 7,797 mined by uncertain method), which would represent approximately 60 to 200 acres, depending on the recovery factor, mining method, and numerous other factors. (Note: 1 square mile = 640 acres)

ROODHOUSE		MINE INDEX
Walker (O. S.), 1913-1917, slope, —, —, 2.5-3.0, RP	2,088 tons	90612304
Carter (Thomas), 1882-1891, shaft, —, 26-60, 2.3-4.17, RP	27,348 tons	90610001
Carter Brothers, 1891-1892	7,225 tons	
Carter Coal Company, 1892-1894	<u>7,040</u> tons	
	41,613 tons	
Buchanan Mine, 1882-1883, drift, —, —, 2.33-2.67, RP	unknown	90610004
Kelton (William), 1883-1883	unknown	
Brown (Felix), 1883-1888	4,420 tons	
Carrollton (William), 1883-1888, drift, Rock Island, 28, 2.33-2.67, RP	3,570 tons	90610006
Carleton (William), 1888-1889	728 tons	
Carrollton (Richard), 1889-1892	1,021 tons	
Carlton (R.), 1893-1894	400 tons	
Carrollton (I.), 1894-1895	<u>300</u> tons	
	6,019 tons	
Knots (John), 1883-1884, drift, Rock Island, —, 2.33, RP	800 tons	90610007
Newton (G. H.), 1883-1885, shaft, Rock Island, 22, 2.5, RP	3,020 tons	90610008 a
Lowther (Joseph), 1883-1884, shaft, Rock Island, 23, 2.5, RP	1,500 tons	90610009
Johnson (John), 1883-1885, shaft, Rock Island, 30, 2.5, RP	800 tons	90610010
Campbell & Nelson, 1884-1885, shaft, —, 26, —, RP	1,500 tons	90610011
Campbell Brothers, 1885-1888	<u>4,516</u> tons	
	6,016 tons	
Saint (Robert), 1885-1887, drift, Rock Island, —, 2.33, RP	2,320 tons	90610012
Israel (Benjamin), 1885-1889, drift, Rock Island, 40, 2.33-3.0, RP	2,864 tons	90610013
Iseral (Sam), 1889-1894	<u>986</u> tons	
	3,850 tons	
Smith (Joseph), 1885-1887, drift, Rock Island, —, 2.33, RP	2,000 tons	90610014
Evert & Sons, 1887-1888	1,400 tons	90610016
Briggs (Ellis), Victory Mine, 1887-1888, shaft, Rock Island, 90, 2.5, RP	40 tons	90610017
Victory Coal Company, 1888-1890	12,890 tons	
Victor Coal Company, 1890-1892	<u>3,722</u> tons	
	16,652 tons	
Whitehead (William), 1888-1889	1,052 tons	90610018

Nelson (John), 1888-1889	1,196 tons	90610019
Minks (James), 1889-1890	231 tons	90610020
Rumsey (Charles), 1889-1890	251 tons	90610022
Bigley (James), 1889-1895, drift, Rock Island, 25, 2.5, RP	872 tons	90610023
Denton & Company, 1890-1892, shaft, —, 50, —, RP	3,262 tons	90610025
Allen & Company, 1890-1891, drift, Rock Island, 42, 2.5, RP	198 tons	90610026
Davis (Ephrim), 1890-1891, drift, Rock Island, 32, 2.5, RP	40 tons	90610027
Cummings (Columbus), 1891-1892, drift, Rock Island, 30, 2.5, RP	382 tons	90610028
Hays (E.), 1891-1894, drift, Rock Island, 20, 2.5-3.0, RP	640 tons	90610030
Johnson (John), 1891-1892, drift, Rock Island, 25, 2.5, RP	315 tons	90610031
Brickey & Company, 1892-1893, shaft, —, 50, —, RP	1,850 tons	90610032
Truitt & Israel, 1893-1894, shaft, —, 46, 4.17, RP	1,750 tons	90610034
Little & Israel, 1894-1895	<u>500 tons</u> 2,250 tons	
Cummings (F.), 1893-1894, drift, Rock Island, —, 2.5-3.0, RP	400 tons	90610035
Cummings (David), 1894-1895	500 tons	
Cummings (Benjamin), 1895-1896	<u>200 tons</u>	
	1,100 tons	
Hamilton & Atkinson, 1893-1894, drift or shaft, Rock Island, 90, 2.5, LW	1,400 tons	90610036
Hopkins (G. A.), 1894-1895	<u>1,500 tons</u>	
	2,900 tons	
Campbell (A.), 1894-1897, shaft, —, 17-37, 4.17-4.5, RP	5,040 tons	90610039
Revis (John T.), 1897-1902	<u>10,562 tons</u>	
	15,602 tons	
Harper (C. E.), 1894-1895, drift, —, —, 2.5, RP	300 tons	90610040
Brown (Felix), 1895-1896, drift, —, —, 2.25, RP	150 tons	90610043
Hutton (John), 1895-1896, slope, —, 10, 2.33, RP	200 tons	90610044
Minks (James), 1895-1898, slope, —, 20, 2.33, RP	820 tons	90610045
Little (James H.), 1898-1902, shaft, Rock Island, 20, 2.5, RP	4,390 tons	90610046 a
Little (James H.), 1904-1906, shaft, Rock Island, 34, 2.5, RP	3,005 tons	90610046 b
Axley (Ed), 1898-1905, shaft, Rock Island, 25-50, 2.5, RP	9,884 tons	90610047
Smith (Alvirda), 1898-1899, slope, Rock Island, 20, 2.5, RP	120 tons	90610048
Simmons (A. B.), 1898-1901, shaft, Rock Island, 25, 2.5, RP	866 tons	90610049
Braznell & Knoth, 1899-1900, shaft, Rock Island, 20-25, 2.5, RP	1,000 tons	90610050
Hudson (S. D.), 1900-1901	<u>1,050 tons</u>	
	2,050 tons	
Market (Ed), 1899-1900, underground, —, 15, 2.5, RP	200 tons	90610051
Strang (Fred), 1899-1903, drift, Rock Island, 20, 2.5, RP	245 tons	90610052

Simmons (Charles), 1900-1901, shaft, Rock Island, 20, 2.5, RP	820 tons	90610053
Cummings (Columbus), 1900-1905, drift, Rock Island, 25, 2.5, RP	774 tons	90610054
Metford (George), 1900-1901, drift, Rock Island, —, 2.5	175 tons	90610055
Bigley (James), 1900-1901, drift, Rock Island, —, 2.5	210 tons	90610056
Thompson (Henry), 1900-1901, drift, Rock Island, —, 2.5	172 tons	90610057
Sowers & Brown, 1900-1901, drift, Rock Island, —, 2.5	268 tons	90610058
Allen (Sam), 1900-1901	175 tons	90610059
Market (Albert), 1904-1905, shaft, Rock Island, 34, 2.5, RP	1,724 tons	90610062
Allen (Alonz), 1904-1905, drift, Rock Island, —, 2.5, RP	102 tons	90610063
Rexrow (J.), 1904-1905, drift, Rock Island, —, 2.5, RP	122 tons	90610065
McCarty (M.), 1904-1905, drift, Rock Island, —, 2.5, RP	92 tons	90610066
Smith (Bert), 1913-1914, shaft, —, 18, 2.5, RP	508 tons	90610070 a
Smith (Bert), 1916-1917, drift, —, —, 2.5, RP	346 tons	90610070 b
Smith & Allen, 1917-1918	<u>931 tons</u>	
	1,277 tons	
Axley (A. E.), 1915-1916, shaft, —, 40, 2.5, RP	630 tons	90610072
Whitehead Brothers, 1916-1920, shaft, —, 40, 2.5, RP	3,294 tons	90610074
Whitaker Mine, 1920-1921	<u>50 tons</u>	
	3,344 tons	
Israel (B. F.), 1917-1918	1,000 tons	90610075
Israel (Frank), 1917-1918	220 tons	90610076
Griffin & Steward, 1917-1918	300 tons	90610077
Gravel (B. F.), 1920-1921	800 tons	90610078
Wells (Ben), 1924-1925	840 tons	90610080
Bateman (Clem), 1932-1934, underground	9,360 tons	90610083
Beck (Ralph), 1932-1934, underground	6,300 tons	90610084
Houck (Charles), No. 1 Mine, 1935-1935	1,200 tons	
Hursman (Rufus), 1935-1936	3,000 tons	
Houck (Charles), No. 1 Mine, 1937-1938	<u>500 tons</u>	
	11,000 tons	
Israel (B. F.), 1933-1933, underground	2,000 tons	90610086
Israel (Elmer), 1934-1934	1,640 tons	
Israel (B. F.), 1935-1936	<u>134 tons</u>	
	3,774 tons	
Griffiths (Thomas), 1934-1934, underground	1,000 tons	90610089
Griffiths (Thomas) & Brother, 1935-1935	<u>20 tons</u>	
	1,020 tons	
Anderson (C. G.), 1934-1936, underground	923 tons	90610091
Elliott (Ed A.), 1934-1937, slope	1,445 tons	90610092

Armstrong (Benjamin), 1934-1934, underground	100 tons	90610097
Russell (Walter), 1934-1934, underground	75 tons	90610099
Garrison, Opremsak & Worlds, 1934-1934, underground	65 tons	90610100
Manley & Carmean, 1935-1935, underground	306 tons	90610104
Stewart (J. W.), 1935-1935, underground	87 tons	90610105
Elliott (Harry), 1937-1938, underground	550 tons	90610106
Bateman (Clem), 1937-1937, underground	75 tons	90610107
Israel (B. F.), 1940-1942, underground	214 tons	90610109
Cummins (Orval), 1940-1941, underground	1,029 tons	90610110
Sheahan (W.), 1941-1942, underground	124 tons	90610112
Allen (W. L.), 1941-1943, underground	861 tons	90610113
Schofield (Everett), 1941-1942, underground	36 tons	90610114
Walker Mine, 1942-1942, underground	44 tons	90610115
Bowns No. 3 Mine, 1942-1942, underground	14 tons	90610116
Israel (B. F.), 1943-1943, underground	29 tons	90610117

WHITE HALL

Holly (Cleat), 1935-1937, shaft, —, 17, 2.0	426 tons	90612302
White Hall Fire Clay Company, No. 1 Mine, 1882-1885 drift or slope, Rock Island, 20, 2.3-2.5, RP	5,702 tons	90610002 a
White Hall Fire Clay Company, No. 2 Mine, 1883-1885	10,608 tons	90610002 b
White Hall Coal & Tile Company, 1885-1891	19,694 tons	
White Hall Fire Clay Company, 1891-1892	4,512 tons	
White Hall Coal & Tile Company, 1892-1893	3,425 tons	
White Hall Fire Clay Works, 1893-1896	13,950 tons	
White Hall Stone Pipe Company, 1896-1897	1,640 tons	
Hudson, Tucker & Company, 1897-1899	3,450 tons	
White Hall Sewer Pipe Company, 1899-1900 shaft, Rock Island, 20-65, 2.17-2.5, RP	<u>3,000</u> tons 60,279 tons	
Wyatt (Wesley), 1882-1884, drift, Rock Island, 62, 2.33-2.5, RP	145 tons	90610003
Wyatt (Thomas), 1884-1893	3,662 tons	
Wiatt (David), 1893-1894	1,250 tons	
Wyatt (Thomas), 1894-1895	<u>1,200</u> tons 6,257 tons	
Newton (George), 1885-1887, drift, Rock Island, —, 2.33, RP	1,918 tons	90610008 b
Smith (John), 1889-1890	332 tons	90610024
Cummings (Fleming), 1891-1892	290 tons	90610029 a
Griffiths (Thomas), No. 1 Mine, 1892-1899 drift or shaft, Rock Island, 42-50, 2.5-4.5, RP	<u>13,215</u> tons 13,505 tons	
Griffiths (Thomas), No. 2 Mine, 1897-1902, shaft, Rock Island, 50-60, 4.5, RP	10,360 tons	90610029 b
Dill Coal Company, 1902-1905	<u>8,153</u> tons	

	18,513 tons	
Wiatt (Aaron), 1894-1895, slope, Rock Island, —, 2.33, RP	300 tons	90610038
White Hall Railway Company, 1906-1908, shaft, —, 30-60, 2.5, RP	8,444 tons	90610067
Tucker (P. J.), 1907-1910, shaft, —, 30-55, 2.5, RP	5,420 tons	90610068
Whitehead (Fred H.), 1932-1932, underground	2,296 tons	90610085
Wyatt (Don), 1934-1934, underground	230 tons	90610094 a
Wyatt & Kirchner, 1935-1935	740 tons	
	970 tons	
Wyatt (Truman), 1935-1935, underground	540 tons	90610094 b
Simmons (Lee), 1934-1934, underground	210 tons	90610095
Marshall (Homer), 1941-1941, underground	101 tons	90610111
Ruckel's Pottery Works, 1939-1939, surface, Colchester, 12, 2.5	61 tons	90610108
In 1927, Ruckel's clay pits were operating in SE NW NE 32-T12N-R11W.		

INDEX OF MINES IN THE ROODHOUSE WEST QUADRANGLE

Allen (Alonz)	12
Allen (Sam)	12
Allen (Smith & Allen)	12
Allen (W. L.)	13
Allen & Company	11
Anderson (C. G.)	12
Armstrong (Benjamin)	12
Atkinson (Hamilton & Atkinson)	11
Axley (A. E.)	12
Axley (Ed)	11
Bateman (Clem)	12, 13
Beck (Ralph)	12
Bigley (James)	11, 12
Bowns No. 3 Mine	13
Braznell & Knoth	11
Brickey & Company	11
Briggs (Ellis), Victory Mine	10
Brown (Felix)	10, 11
Brown (Sowers & Brown)	12
Buchanan Mine	10
Campbell (A.)	11
Campbell & Nelson	10
Campbell Brothers	10
Carleton (William)	10
Carlton (R.)	10
Carmean (Manley & Carmean)	13
Carrollton (Richard)	10
Carrollton (William)	10
Carrollton (I.)	10
Carter (Thomas)	10
Carter Brothers	10
Carter Coal Company	10
Cummings (Benjamin)	11
Cummings (Columbus)	11, 12
Cummings (David)	11
Cummings (F.)	11
Cummings (Fleming)	13
Cummins (Orval)	13
Davis (Ephrim)	11
Denton & Company	11
Dill Coal Company	13
Elliott (Ed A.)	12
Elliott (Harry)	13
Evert & Sons	10
Garrison, Opremshak & Worlds	13
Gravel (B. F.)	12
Griffin & Steward	12
Griffiths (Thomas)	12
Griffiths (Thomas) & Brother	12
Griffiths (Thomas), No. 1 Mine	13
Griffiths (Thomas), No. 2 Mine	13
Hamilton & Atkinson	11
Harper (C. E.)	11
Hays (E.)	11
Holly (Cleat)	13
Hopkins (G. A.)	11
Houck (Charles), No. 1 Mine	12
Hudson (S. D.)	11
Hudson, Tucker & Company	13
Hursman (Rufus)	12
Hutton (John)	11
Iseral (Sam)	10
Israel (B. F.)	12, 13

Israel (Benjamin)	10
Israel (Elmer)	12
Israel (Frank)	12
Israel (Little & Israel)	11
Israel (Truitt & Israel)	11
Johnson (John)	10, 11
Kelton (William)	10
Kirchner (Wyatt & Kirchner)	14
Knoth (Braznell & Knoth)	11
Knots (John)	10
Little (James H.)	11
Little & Israel	11
Lowther (Joseph)	10
Manley & Carmean	13
Market (Albert)	12
Market (Ed)	11
Marshall (Homer)	14
McCarty (M.)	12
Metford (George)	12
Minks (James)	11
Nelson (Campbell & Nelson)	10
Nelson (John)	11
Newton (G. H.)	10
Newton (George)	13
Opremsak (Garrison, Opremsak & Worlds)	13
Revis (John T.)	11
Rexrow (J.)	12
Ruckel's Pottery Works	14
Rumsey (Charles)	11
Russell (Walter)	12
Saint (Robert)	10
Schofield (Everett)	13
Sheahan (W.)	13
Simmons (A. B.)	11
Simmons (Charles)	11
Simmons (Lee)	14
Smith (Alvirda)	11
Smith (Bert)	12
Smith (John)	13
Smith (Joseph)	10
Smith & Allen	12
Sowers & Brown	12
Steward (Griffin & Steward)	12
Stewart (J. W.)	13
Strang (Fred)	11
Thompson (Henry)	12
Truitt & Israel	11
Tucker (Hudson, Tucker & Company)	13
Tucker (P. J.)	14
Victor Coal Company	10
Victory Coal Company	10
Victory Mine	10
Walker (O. S.)	10
Walker Mine	13
Wells (Ben)	12
Whitaker Mine	12
White Hall Coal & Tile Company	13
White Hall Fire Clay Company, No. 1 Mine	13
White Hall Fire Clay Company, No. 2 Mine	13
White Hall Fire Clay Works	13
White Hall Railway Company	13
White Hall Sewer Pipe Company	13
White Hall Stone Pipe Company	13
Whitehead (Fred H.)	14
Whitehead (William)	10

Whitehead Brothers	12
Wiatt (Aaron)	13
Wiatt (David)	13
Worlds (Garrison, Opremshak & Worlds)	13
Wyatt (Don)	14
Wyatt (Thomas)	13
Wyatt (Truman)	14
Wyatt (Wesley)	13
Wyatt & Kirchner	14

